



Check for updates

OPINION ARTICLE

Best practice data life cycle approaches for the life sciences

[version 1; referees: awaiting peer review]

Philippa C. Griffin^{1,2}, Jyoti Khadake³, Kate S. LeMay ⁴, Suzanna E. Lewis⁵, Sandra Orchard⁶, Andrew Pask⁷, Bernard Pope², Ute Roessner⁸, Keith Russell ⁴, Torsten Seemann², Andrew Treloar⁴, Sonika Tyagi^{9,10}, Jeffrey H. Christiansen¹¹, Saravanan Dayalan⁸, Simon Gladman¹, Sandra B. Hangartner¹², Helen L. Hayden¹³, William W.H. Ho⁷, Gabriel Keeble-Gagnère^{7,13}, Pasi K. Korhonen¹⁴, Peter Neish¹⁵, Priscilla R. Prestes¹⁶, Mark F. Richardson¹⁷, Nathan S. Watson-Haigh¹⁸, Kelly L. Wyres¹⁹, Neil D. Young¹⁴, Maria Victoria Schneider^{2,15}

¹EMBL Australia Bioinformatics Resource, The University of Melbourne, Parkville, VIC, 3010, Australia

²Melbourne Bioinformatics, The University of Melbourne, Parkville, VIC, 3010, Australia

³NIHR BioResource, University of Cambridge and Cambridge University Hospitals NHS Foundation Trust Hills Road, Cambridge, CB2 0QQ, UK

⁴Australian National Data Service, Monash University, Malvern East, VIC, 3145, Australia

⁵Lawrence Berkeley National Laboratory, Environmental Genomics and Systems Biology Division, Berkeley, CA, 94720, USA

⁶European Bioinformatics Institute (EMBL-EBI), European Molecular Biology Laboratory, Cambridge, CB10 1SD, UK

⁷School of BioSciences, The University of Melbourne, Parkville, VIC, 3010, Australia

⁸Metabolomics Australia, School of BioSciences, The University of Melbourne, Parkville, VIC, 3010, Australia

⁹Australian Genome Research Facility Ltd, Parkville, VIC, 3052, Australia

¹⁰Monash Bioinformatics Platform, Monash University, Clayton, VIC, 3800, Australia

¹¹Queensland Cyber Infrastructure Foundation and the University of Queensland Research Computing Centre, St Lucia, QLD, 4072, Australia

¹²School of Biological Sciences, Monash University, Clayton, VIC, 3800, Australia

¹³Agriculture Victoria, AgriBio, Centre for AgriBioscience, Department of Economic Development, Jobs, Transport and Resources (DEDJTR), Bundoora, VIC, 3083, Australia

¹⁴Faculty of Veterinary and Agricultural Sciences, The University of Melbourne, Parkville, VIC, 3010, Australia

¹⁵The University of Melbourne, Parkville, VIC, 3010, Australia

¹⁶Faculty of Science and Engineering, Federation University Australia, Mt Helen, VIC, 3350, Australia

¹⁷Bioinformatics Core Research Group & Centre for Integrative Ecology, Deakin University, Geelong, VIC, 3220, Australia

¹⁸School of Agriculture, Food and Wine, University of Adelaide, Glen Osmond, SA, 5064, Australia

¹⁹Department of Biochemistry and Molecular Biology, Bio21 Molecular Science and Biotechnology Institute, The University of Melbourne, Parkville, VIC, 3010, Australia

v1 First published: 31 Aug 2017, 6:1618 (doi: [10.12688/f1000research.12344.1](https://doi.org/10.12688/f1000research.12344.1))

Latest published: 31 Aug 2017, 6:1618 (doi: [10.12688/f1000research.12344.1](https://doi.org/10.12688/f1000research.12344.1))

Abstract

Throughout history, the life sciences have been revolutionised by technological advances; in our era this is manifested by advances in instrumentation for data generation, and consequently researchers now routinely handle large amounts of heterogeneous data in digital formats. The simultaneous transitions towards biology as a data science and towards a 'life cycle' view of research data pose new challenges. Researchers face a bewildering landscape of data

Open Peer Review

Referee Status: *AWAITING PEER*


REVIEW

Discuss this article

Comments (0)

management requirements, recommendations and regulations, without necessarily being able to access data management training or possessing a clear understanding of practical approaches that can assist in data management in their particular research domain.

Here we provide an overview of best practice data life cycle approaches for researchers in the life sciences/bioinformatics space with a particular focus on 'omics' datasets and computer-based data processing and analysis. We discuss the different stages of the data life cycle and provide practical suggestions for useful tools and resources to improve data management practices.



This article is included in the **EMBL-EBI** gateway.



This article is included in the **Global Open Data for Agriculture and Nutrition** gateway.

Corresponding authors: Philippa C. Griffin (pip.griffin@gmail.com), Maria Victoria Schneider (mvschneiderg@gmail.com)

Author roles: **Griffin PC:** Conceptualization, Visualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Khadake J:** Writing – Review & Editing; **LeMay KS:** Writing – Review & Editing; **Lewis SE:** Writing – Review & Editing; **Orchard S:** Writing – Review & Editing; **Pask A:** Writing – Review & Editing; **Pope B:** Writing – Review & Editing; **Roessner U:** Writing – Review & Editing; **Russell K:** Writing – Review & Editing; **Seemann T:** Writing – Review & Editing; **Treloar A:** Writing – Review & Editing; **Tyagi S:** Writing – Review & Editing; **Christiansen JH:** Writing – Review & Editing; **Dayalan S:** Writing – Review & Editing; **Gladman S:** Writing – Review & Editing; **Hangartner SB:** Writing – Review & Editing; **Hayden HL:** Writing – Review & Editing; **Ho WWH:** Writing – Review & Editing; **Keeble-Gagnère G:** Writing – Review & Editing; **Korhonen PK:** Writing – Review & Editing; **Neish P:** Writing – Review & Editing; **Prestes PR:** Writing – Review & Editing; **Richardson MF:** Writing – Review & Editing; **Watson-Haigh NS:** Writing – Review & Editing; **Wyres KL:** Writing – Review & Editing; **Young ND:** Writing – Review & Editing; **Schneider MV:** Conceptualization, Supervision, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

How to cite this article: Griffin PC, Khadake J, LeMay KS *et al.* **Best practice data life cycle approaches for the life sciences [version 1; referees: awaiting peer review]** *F1000Research* 2017, **6**:1618 (doi: [10.12688/f1000research.12344.1](https://doi.org/10.12688/f1000research.12344.1))

Copyright: © 2017 Griffin PC *et al.* This is an open access article distributed under the terms of the **Creative Commons Attribution Licence**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Grant information: This publication was possible thanks to funding support from the University of Melbourne and Bioplatfroms Australia (BPA) via an Australian Government NCRIS investment (to EMBL-ABR).

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

First published: 31 Aug 2017, **6**:1618 (doi: [10.12688/f1000research.12344.1](https://doi.org/10.12688/f1000research.12344.1))

Introduction

Technological data production capacity is revolutionising biology¹, but is not necessarily correlated with the ability to efficiently analyse and integrate data, or with enabling long-term data sharing and reuse. There are selfish as well as altruistic benefits to making research data reusable²: it allows one to find and reuse one's own previously-generated data easily; it is associated with higher citation rates^{3,4}; and it ensures eligibility for funding from and publication in venues that mandate data sharing, an increasingly common requirement (e.g. [Final NIH statement on sharing research data](#), [Wellcome Trust policy on data management and sharing](#), [Bill & Melinda Gates Foundation open access policy](#)). Currently we are losing data at a rapid rate, with up to 80% unavailable after 20 years⁵. This affects reproducibility - assessing the robustness of scientific conclusions by ensuring experiments and findings can be reproduced - which underpins the scientific method. Once access to the underlying data is lost, replicability, reproducibility and extensibility⁶ are reduced.

At a broader societal level, the full value of research data may go beyond the initial use case in unforeseen ways^{7,8}, so ensuring data quality and reusability is crucial to realising its potential value⁹⁻¹². The recent publication of the FAIR principles^{9,13} identifies four key criteria for high-quality research data: the data should be Findable, Accessible, Interoperable and Reusable. Whereas a traditional view of data focuses on collecting, processing, analysing data and publishing results only, a life cycle view reveals the additional importance of finding, storing and sharing data¹¹. Throughout this article, we present a researcher-focused data life cycle framework that has commonalities with other published frameworks [e.g. the [DataONE Data Life Cycle](#), the [US geological survey science data lifecycle model](#) and ^{11,14-15}], but is aimed at life science researchers specifically (Figure 1).

Learning how to find, store and share research data is not typically an explicit part of undergraduate or postgraduate training in the biological sciences¹⁶⁻¹⁸. The scope, size and complexity of datasets in many fields has increased dramatically over the last 10-20 years, but the knowledge of how to manage this data is currently limited to specific cohorts of 'information managers' (e.g. research data managers, research librarians, database curators and IT professionals with expertise in databases and data schemas¹⁸). In response to institutional and funding requirements around data availability, a number of tools and educational programs have been developed to help researchers create Data Management Plans to address elements of the data lifecycle¹⁹; however, even when a plan is mandated, there is often a gap between the plan and the actions of the researcher¹⁰.

During the week of 24-28 October 2016, EMBL Australia Bioinformatics Resource (EMBL-ABR)²⁰ led workshops on the data life cycle for life science researchers working in the plant, animal, microbial and medical domains. The workshops provided opportunities to (i) map the current approaches to the data life cycle in biology and bioinformatics, and (ii) present and discuss best practice approaches and standards for key international projects with Australian life scientists and bioinformaticians. Discussions during these workshops have informed this publication, which targets




Figure 1. The Data Life Cycle framework for bioscience, biomedical and bioinformatics data that is discussed throughout this article. Black arrows indicate the 'traditional', linear view of research data; the green arrows show the steps necessary for data reusability. This framework is likely to be a simplified representation of any given research project, and in practice there would be numerous 'feedback loops' and revisiting of previous stages. In addition, the publishing stage can occur at several points in the data life cycle.

life science researchers wanting to improve their data management practice; throughout we highlight some specific data management challenges mentioned by participants.

An earlier version of this article can be found on bioRxiv (<https://doi.org/10.1101/167619>).

Finding data

In biology, research data is frequently published as supplementary material to articles, on personal or institutional websites, or in non-discipline-specific repositories like [Figshare](#) and [Dryad](#)²¹. In such cases, data may exist behind a paywall, there is no guarantee it will remain extant, and, unless one already knows it exists and its exact location, it may remain undiscovered²². It is only when a dataset is added to public data repositories, along with accompanying standardized descriptive metadata (see [Collecting data](#)), that it can be indexed and made publicly available²³. Data repositories also provide unique identifiers that increase findability by enabling persistent linking from other locations and permanent association between data and its metadata.

In the field of molecular biology, a number of bioinformatics-relevant organisations host public data repositories. National and international-level organisations of this kind include the European Bioinformatics Institute (EMBL-EBI)²⁴, the National Centre for Biotechnology Information (NCBI)²⁵, the DNA Data Bank of Japan

(DDBJ)²⁶, the Swiss Institute of Bioinformatics (SIB)²⁷, and the four data center members of the worldwide Protein Data Bank²⁸, which mirror their shared data with regular, frequent updates. This shared central infrastructure is hugely valuable to research and development. For example, EMBL-EBI resources have been valued at over £270 million per year and contribute to ~£1 billion in research efficiencies; a 20-fold return on investment²⁹.

Numerous repositories are available for biological data (see [Table 1](#) for an overview), though repositories are still lacking for some data types and sub-domains³⁰. Many specialised data repositories exist outside of the shared central infrastructure mentioned, often run voluntarily or with minimal funding. Support for biocuration, hosting and maintenance of these smaller-scale but key resources is a pressing problem^{31–33}. The quality of the user-submitted data in public repositories^{34,35} can mean that public datasets require extra curation before reuse. Unfortunately, due to low uptake of established methods (see the [EMBL-EBI](#) and [NCBI](#) third-party annotation policies and;³⁶) to correct the data³⁵, the results of extra curation may not find their way back into the repositories. Repositories are often not easily searched by generic web search engines³⁰. Registries, which form a secondary layer linking multiple, primary repositories, may offer a more convenient way to search across multiple repositories for data relevant to a researcher's topics of interest³⁷.

Collecting data

The most useful data has associated information about its creation, its content and its context - called [metadata](#). If metadata is well structured, uses consistent element names and contains element values with specific descriptions from agreed-upon vocabularies, it enables machine readability, aggregation, integration and tracking across datasets: allowing for Findability, Interoperability and Reusability^{9,30}. One key approach in best-practice metadata collection is to use controlled vocabularies built from ontology terms. Biological ontologies are tools that provide machine-interpretable representations of some aspect of biological reality^{30,38}. They are a way of organising and defining objects (i.e. physical entities or processes), and the relationships between them. Sourcing metadata element values from ontologies ensures that the terms used in metadata are consistent and clearly defined. There are several user-friendly tools available to assist researchers in accessing, using and contributing to ontologies ([Table 2](#)).

Adopting standard data and metadata formats and syntax is critical for compliance with FAIR principles^{9,23,30,37,39}. Biological and biomedical research has been considered an especially challenging research field in this regard, as datatypes are extremely heterogeneous and not all have defined data standards^{39,40}; many existing data standards are complex and therefore difficult to use⁴⁰, or only informally defined, and therefore subject to variation, misrepresentation, and divergence over time³⁹. Nevertheless, well-established standards exist for a variety of biological data types ([Table 3](#)). [FAIRsharing](#) is a useful registry of data standards and policies that also indicates the current status of standards for

different data types and those recommended by databases and research organisations³⁷.

Most public repositories for biological data (see [Table 1](#) and [Storing data](#) section) require that minimum metadata be submitted accompanying each dataset ([Table 4](#)). This minimum metadata specification typically has broad community input⁴³. Minimum metadata standards may not include the crucial metadata fields that give the full context of the particular research project⁴³, so it is important to gather metadata early, understand how to extend a minimum metadata template to include additional fields in a structured way, and think carefully about all the relevant pieces of metadata information that might be required for reuse.

Processing and analysing data

Recording and reporting how research data is processed and analysed computationally is crucial for reproducibility and assessment of research quality^{1,44}. Full reproducibility requires access to the software, software versions, dependencies and operating system used as well as the data and software code itself⁴⁵. Therefore, although computational work is often seen as enabling reproducibility in the short term, in the long term it is fragile and reproducibility is limited (e.g. discussion by [D. Katz](#), [K. Hinsén](#) and [C.T. Brown](#)). Best-practice approaches for preserving data processing and analysis code involve hosting source code in a repository where it receives a unique identifier and is under version control; where it is open, accessible, interoperable and reusable - broadly mapping to the FAIR principles for data. [Github](#) and [Bitbucket](#), for example, fulfil these criteria, and [Zenodo](#) additionally generates Digital Object Identifiers (DOIs) for submissions and guarantees long-term archiving. Several recent publications have suggested ways to improve current practice in research software development^{15,46–48}.

The same points hold for wet-lab data production: for full reproducibility, it is important to capture and enable access to specimen cell lines, tissue samples and/or DNA as well as reagents. Wet-lab methods can be captured in electronic laboratory notebooks and reported in the Biosamples database⁴⁹, [protocols.io](#) or [OpenWetWare](#); specimens can be lodged in biobanks, culture or museum collections^{50–54}; but the effort involved in enabling full reproducibility remains extensive. Electronic laboratory notebooks are frequently suggested as a sensible way to make this information openly available and archived⁵⁵. Some partial solutions exist (e.g. [LabTrove](#), [BlogMyData](#), [Benchling](#) and others⁵⁶), including tools for specific domains such as the Scratchpad Virtual Research Environment for natural history research⁵⁷. Other tools can act as or be combined to produce notebooks for small standalone code-based projects [Boettiger, 2017⁵⁸ and update], including [Jupyter Notebook](#), [Rmarkdown](#), and [Docker](#). However, it remains a challenge to implement online laboratory notebooks to cover both field/lab work and computer-based work, especially when computer work is extensive, involved and non-modular⁴⁴. Currently, no best-practice guidelines or minimum information standards exist for use of electronic laboratory notebooks⁶. We suggest that appropriate minimum information to be recorded for most computer-based tasks should include

Table 1. Overview of some representative databases, registries and other tools to find life science data.

Database/registry	Name	Description	Datatypes	URL
Database	Gene Ontology	Repository of functional roles of gene products, including: proteins, ncRNAs, and complexes.	Functional roles as determined experimentally or through inference. Includes evidence for these roles and links to literature	http://geneontology.org/
Database	Kyoto Encyclopedia of Genes and Genomes (KEGG)	Repository for pathway relationships of molecules, genes and cells, especially molecular networks	Protein, gene, cell, and genome pathway membership data	http://www.genome.jp/kegg/
Database	OrthoDB	Repository for gene ortholog information	Protein sequences and orthologous group annotations for evolutionarily related species groups	http://www.orthodb.org/
Database with analysis layer	eggNOG	Repository for gene ortholog information with functional annotation prediction tool	Protein sequences, orthologous group annotations and phylogenetic trees for evolutionarily related species groups	http://eggnogdb.embl.de/
Database	European Nucleotide Archive (ENA)	Repository for nucleotide sequence information	Raw next-generation sequencing data, genome assembly and annotation data	http://www.ebi.ac.uk/ena
Database	Sequence Read Archive (SRA)	Repository for nucleotide sequence information	Raw high-throughput DNA sequencing and alignment data	https://www.ncbi.nlm.nih.gov/sra/
Database	GenBank	Repository for nucleotide sequence information	Annotated DNA sequences	https://www.ncbi.nlm.nih.gov/genbank/
Database	ArrayExpress	Repository for genomic expression data	RNA-seq, microarray, CHIP-seq, Bisulfite-seq and more (see https://www.ebi.ac.uk/arrayexpress/help/experiment_types.html for full list)	https://www.ebi.ac.uk/arrayexpress/
Database	Gene Expression Omnibus (GEO)	Repository for genetic/genomic expression data	RNA-seq, microarray, real-time PCR data on gene expression	https://www.ncbi.nlm.nih.gov/geo/
Database	PRIDE	Repository for proteomics data	Protein and peptide identifications, post-translational modifications and supporting spectral evidence	https://www.ebi.ac.uk/pride/archive/
Database	Protein Data Bank (PDB)	Repository for protein structure information	3D structures of proteins, nucleic acids and complexes	https://www.wwpdb.org/
Database	MetaboLights	Repository for metabolomics experiments and derived information	Metabolite structures, reference spectra and biological characteristics; raw and processed metabolite profiles	http://www.ebi.ac.uk/metabolights/
Ontology/database	ChEBI	Ontology and repository for chemical entities	Small molecule structures and chemical properties	https://www.ebi.ac.uk/chebi/
Database	Taxonomy	Repository of taxonomic classification information	Taxonomic classification and nomenclature data for organisms in public NCBI databases	https://www.ncbi.nlm.nih.gov/taxonomy
Database	BioStudies	Repository for descriptions of biological studies, with links to data in other databases and publications	Study descriptions and supplementary files	https://www.ebi.ac.uk/biostudies/

Database/ registry	Name	Description	Datatypes	URL
Database	Biosamples	Repository for information about biological samples, with links to data generated from these samples located in other databases	Sample descriptions	https://www.ebi.ac.uk/biosamples/
Database with analysis layer	IntAct	Repository for molecular interaction information	Molecular interactions and evidence type	http://www.ebi.ac.uk/intact/
Database	UniProtKB (SwissProt and TrEMBL)	Repository for protein sequence and function data. Combines curated (UniProtKB/SwissProt) and automatically annotated, uncurated (UniProtKB/TrEMBL) databases	Protein sequences, protein function and evidence type	http://www.uniprot.org/
Database	European Genome-Phenome Archive	Controlled-access repository for sequence and genotype experiments from human participants whose consent agreements authorise data release for specific research use	Raw, processed and/or analysed sequence and genotype data along with phenotype information	https://www.ebi.ac.uk/ega/
Database with analysis layer	EBI Metagenomics	Repository and analysis service for metagenomics and metatranscriptomics data. Data is archived in ENA	Next-generation sequencing metagenomic and metatranscriptomic data; metabarcoding (amplicon-based) data	https://www.ebi.ac.uk/metagenomics/
Database with analysis layer	MG-RAST	Repository and analysis service for metagenomics data.	Next-generation sequencing metagenomic and metabarcoding (amplicon-based) data	http://metagenomics.anl.gov/
Registry	Omics DI	Registry for dataset discovery that currently spans 11 data repositories: PRIDE, PeptideAtlas, MassIVE, GPMDB, EGA, Metabolights, Metabolomics Workbench, MetabolomeExpress, GNPS, ArrayExpress, ExpressionAtlas	Genomic, transcriptomic, proteomic and metabolomic data	http://www.omicsdi.org
Registry	DataMed	Registry for biomedical dataset discovery that currently spans 66 data repositories	Genomic, transcriptomic, proteomic, metabolomic, morphology, cell signalling, imaging and other data	https://datamed.org
Registry	Biosharing	Curated registry for biological databases, data standards, and policies	Information on databases, standards and policies including fields of research and usage recommendations by key organisations	https://biosharing.org/
Registry	re3data	Registry for research data repositories across multiple research disciplines	Information on research data repositories, terms of use, research fields	http://www.re3data.org

Table 2. Useful ontology tools to assist in metadata collection.

Tool	Task	URL
Ontology Lookup Service	Discover different ontologies and their contents	http://www.ebi.ac.uk/ols/
OBO Foundry	Table of open biomedical ontologies with information on development status, license and content	http://obofoundry.org/
Zooma	Assign ontology terms using curated mapping	http://www.ebi.ac.uk/spot/zooma/
Weblous	Create new ontology terms easily	https://www.ebi.ac.uk/efo/weblous/
Ontobee	A linked data server that facilitates ontology data sharing, visualization, and use.	http://www.ontobee.org

date, task name and brief description, aim, actual command(s) used, software names and versions used, input/output file names and locations, script names and locations.

During the EMBL-ABR workshop series, participants identified the data processing and analysis stage as one of the most challenging for openness. A few participants had put intensive individual effort into developing custom online lab (and code) notebook approaches, but the majority had little awareness of this as a useful goal. This suggests a gap between modern biological research as a field of data science, and biology as it is still mostly taught in undergraduate courses, with little or no focus on computational analysis, or project or data management. As reported elsewhere^{16–18}, this gap has left researchers lacking key knowledge and skills required to implement best practices in dealing with the life cycle of their data.

Publishing data

Traditionally, scientific publications included raw research data, but in recent times datasets have grown beyond the scope of practical inclusion in a manuscript^{11,44}. Selected data outputs are often included without sharing or publishing the underlying raw data¹⁴. Journals increasingly recommend or require deposition of raw data in a public repository [e.g. 59], although exceptions have been made for publications containing commercially-relevant data⁶⁰. The current data-sharing mandate is somewhat field-dependent^{5,61} and also varies within fields⁶². For example, in the field of bioinformatics, the UPSIDE principle⁶³ is referred to by some journals (e.g. *Bioinformatics*), while others have journal- or publisher-specific policies (e.g. *BMC Bioinformatics*).

The vast majority of scientific journals require inclusion of processing and analysis methods in ‘sufficient detail for reproduction’ (e.g. Public Library of Science *submission and data availability* guidelines; *International Committee of Medical Journal Editors manuscript preparation guidelines*; *Science instructions for authors*; *Elsevier Cell Press STAR Methods*; and⁶⁴), though journal requirements are diverse and complex⁶⁵, and the level of detail authors provide can vary greatly in practice^{66,67}. More recently, many authors have highlighted that full reproducibility requires sharing data and resources at all stages of the scientific process, from raw data (including biological samples) to full methods and analysis

workflows^{1,6,53,67}. However, this remains a challenge^{68,69}, as discussed in the *Processing and analysing data* section. To our knowledge, strategies for enabling computational reproducibility are currently not mandated by any scientific journal.

A recent development in the field of scientific publishing is the establishment of ‘data journals’: scientific journals that publish papers describing datasets. This gives authors a vehicle to accrue citations (still a dominant metric of academic impact) for data production alone, which can often be labour-intensive and expensive yet is typically not well recognised under the traditional publishing model. Examples of this article type include the *Data Descriptor in Scientific Data* and the *Data Note in GigaScience*, which do not include detailed new analysis but rather focus on describing and enabling reuse of datasets.

The movement towards sharing research publications themselves (‘Open Access Publishing’) has been discussed extensively elsewhere [e.g. 22,70,71]. Publications have associated metadata (creator, date, title etc.; see *Dublin Core Metadata Initiative metadata terms*) and unique identifiers (PubMed ID for biomedical and some life science journals, DOIs for the vast majority of journals; see Table 5). The *ORCID system* enables researchers to claim their own unique identifier, which can be linked to their publications. The use of unique identifiers within publications referring to repository records (e.g. genes, proteins, chemical entities) is not generally mandated by journals, although it would ensure a common vocabulary is used and so make scientific results more interoperable and reusable⁷². Some efforts are underway to make this easier for researchers: for example, Genetics and other Genetics Society of America journals assist authors in *linking gene names to model organism database entries*.

Storing data

While primary data archives are the best location for raw data and some downstream data outputs (Table 1), researchers also need local data storage solutions during the processing and analysis stages. Data storage requirements vary among research domains, with major challenges often evident for groups working on taxa with large genomes (e.g. crop plants), which require large storage resources, or on human data, where privacy regulations may require local data storage, access controls and conversion to

Table 3. Overview of common standard data formats for 'omics data.

Data type	Format name	Description	Reference or URL for format specification	URLs for repositories accepting data in this format
Raw DNA/RNA sequence	FASTA	FASTA is a common text format to store DNA/RNA/Protein sequence and FASTQ combines base quality information with the nucleotide sequence.	41	https://www.ncbi.nlm.nih.gov/sra/docs/submitformats/ http://www.ebi.ac.uk/ena/submit/data-formats
	FASTQ HDF5 SAM/BAM/ CRAM	HDF5 is a newer sequence read formats used by long read sequencers e.g. PacBio and Oxford Nanopore. Raw sequence can also be stored in unaligned SAM/BAM/CRAM format	42 https://support.hdfgroup.org/HDF5/ https://samtools.github.io/hts-specs/	
Assembled DNA sequence	FASTA	Assemblies without annotation are generally stored in FASTA format.	41	http://www.ebi.ac.uk/ena/submit/genomes-sequence-submission
	Flat file AGP	Annotation can be integrated with assemblies in contig, scaffold or chromosome flat file format. AGP files are used to describe how smaller fragments are placed in an assembly but do not contain the sequence information themselves	http://www.ebi.ac.uk/ena/submit/contig-flat-file http://www.ebi.ac.uk/ena/submit/scaffold-flat-file https://www.ncbi.nlm.nih.gov/assembly/agp/AGP_Specification/	
Aligned DNA sequence	SAM/BAM CRAM	Sequences aligned to a reference are represented in sequence alignment and mapping format (SAM). Its binary version is called BAM and further compression can be done using the CRAM format	https://samtools.github.io/hts-specs/	https://www.ncbi.nlm.nih.gov/sra/docs/submitformats/#bam
Gene model or genomic feature annotation	GTF/GFF/GFF3	General feature format or general transfer format are commonly used to store genomic features in tab-delimited flat text format.	https://github.com/The-Sequence-Ontology/Specifications/blob/master/gff3.md https://genome.ucsc.edu/FAQ/FAQformat.html https://genome.ucsc.edu/FAQ/FAQformat.html https://www.ncbi.nlm.nih.gov/Sitemap/samplerecord.html	http://www.ensembl.org/info/website/upload/gff.html http://www.ensembl.org/info/website/upload/gff3.html
	BED GB/GBK	GFF3 is a more advanced version of the basic GFF that allows description of more complex features. BED format is a tab-delimited text format that also allows definition of how a feature should be displayed (e.g. on a genome browser). GenBank flat file Format (GB/GBK) is also commonly used but not well standardised		

Data type	Format name	Description	Reference or URL for format specification	URLs for repositories accepting data in this format
Gene functional annotation	GAF (GPAD and RDF will also be available in 2018)	A GAF file is a GO Annotation File containing annotations made to the GO by a contributing resource such as FlyBase or PomBase. However, the GAF standard is applicable outside of GO, e.g. using other ontologies such as PO. GAF (v2) is a simple tab-delimited file format with 17 columns to describe an entity (e.g. a protein), its annotation and some annotation metadata	http://geneontology.org/page/go-annotation-file-format-20	http://geneontology.org/page/submitting-go-annotations
Genetic/genomic variants	VCF	A tab-delimited text format to store meta-information as header lines followed by information about variants position in the genome. The current version is VCF4.2	https://samtools.github.io/hts-specs/VCFv4.2.pdf	http://www.ensembl.org/info/website/upload/var.html
Interaction data	PSI-MI XML MITAB	Data formats developed to exchange molecular interaction data, related metadata and fully describe molecule constructs	http://psidev.info/groups/molecular-interactions	http://www.ebi.ac.uk/intact
Raw metabolite profile	mzML nmrML	XML based data formats that define mass spectrometry and nuclear magnetic resonance raw data in Metabolomics	http://www.psidev.info/mzml http://nmrml.org/	
Protein sequence	FASTA	A text-based format for representing nucleotide sequences or protein sequences, in which nucleotides or amino acids are represented using single-letter codes	41	www.uniprot.org
Raw proteome profile	mzML	A formally defined XML format for representing mass spectrometry data. Files typically contain sequences of mass spectra, plus metadata about the experiment	http://www.psidev.info/mzml	www.ebi.ac.uk/pride
Organisms and specimens	Darwin Core	The Darwin Core (DwC) standard facilitates the exchange of information about the geographic location of organisms and associated collection specimens	http://rs.tdwg.org/dwc/	

Table 4. Some community-designed minimum information criteria for metadata specifications in life sciences.

Name	Description	Examples of projects/databases that use this specification	URL
MINSEQE	Minimum Information about a high-throughput Sequencing Experiment	Developed by the Functional Genomics Data Society. Used in the NCBI Sequence Read Archive, ArrayExpress	http://figed.org/site_media/pdf/MINSEQE_1.0.pdf
MixS - MIGS/MIMS	Minimum Information about a (Meta)Genome Sequence. The MIMS extension includes key environmental metadata	Developed by the Genomic Standards Consortium. Numerous adopters including NCBI/EBI/DDBJ databases	http://wiki.genesc.org/index.php?title=MIGS/MIMS
MIMARKS	Minimum Information about a MARKer gene Sequence. This is an extension of MIGS/MIMS for environmental sequences	Developed by the Genomic Standards Consortium. Numerous adopters including NCBI/EBI/DDBJ databases	http://wiki.genesc.org/index.php?title=MIMARKS
MIMix	Minimum Information about a Molecular Interaction experiment	Developed by the Proteomics Standards Initiative. Adopted by the IMEx Consortium databases	http://www.psidev.info/mimix
MIAPe	Minimum Information About a Proteomics Experiment	Developed by the Proteomics Standards Initiative. Adopted by PRIDE, World-2DPAGE and ProteomeXchange databases	http://www.psidev.info/miape
Metabolomics Standards Initiative (MSI) standards	Minimal reporting structures that represent different parts of the metabolomics workflow	Developed by the Metabolomics Standards Initiative (MSI) and the Coordination of Standards in Metabolomics (COSMOS) consortium	http://www.metabolomics-msi.org/
MIRIAM	Minimal Information Required In the Annotation of Models. For annotation and curation of computational models in biology	Initiated by the BioModels.net effort. Adopted by the EBI BioModels database and others	http://co.mbine.org/standards/miriam
MIAPPE	Minimum Information About a Plant Phenotyping Experiment. Covers study, environment, experimental design, sample management, biosource, treatment and phenotype	Adopted by the Plant Phenomics and Genomics Research Data Repository and the Genetic and Genomic Information System (GnplS)	http://cropnet.pl/phenotypes/wp-content/uploads/2016/04/MIAPPE.pdf

Name	Description	Examples of projects/databases that use this specification	URL
MDM	Minimal Data for Mapping for sample and experimental metadata for pathogen genome-scale sequence data	Developed by the Global Microbial Identifier Initiative and EBI. Complies with EBI ENA database submission requirements	http://www.ebi.ac.uk/ena/submit/pathogen-data
FAANG sample metadata specification	Metadata specification for biological samples derived from animals (animals, tissue samples, cells or other biological materials). Complies with EBI database requirements and BioSamples database formats	Developed and used by the Functional Annotation of Animal Genomes Consortium	https://github.com/FAANG/faang-metadata/blob/master/docs/faang_sample_metadata.md
FAANG experimental metadata specification	Metadata specification for sequencing and array experiments on animal samples	Developed and used by the Functional Annotation of Animal Genomes Consortium	https://github.com/FAANG/faang-metadata/blob/master/docs/faang_experiment_metadata.md
FAANG analysis metadata specification	Metadata specification for analysis results	Developed and used by the Functional Annotation of Animal Genomes Consortium. NB no public repository exists for this specific datatype	https://github.com/FAANG/faang-metadata/blob/master/docs/faang_analysis_metadata.md
SNOMED-CT	Medical terminology and pharmaceutical product standard	Commercial but collaboratively-designed product	http://www.snomed.org/snomed-ct

Table 5. Identifiers throughout the data life cycle.

Name	Relevant stage of data life cycle	Description	URL
Digital Object Identifier (DOI)	Publishing, Sharing, Finding	A unique identifier for a digital (or physical or abstract) object	https://www.doi.org/
Open Researcher and Contributor ID (ORCID)	Publishing	An identifier for a specific researcher that persists across publications and other research outputs	https://orcid.org/
Repository accession number	Finding, Processing/Analyzing, Publishing, Sharing, Storing	A unique identifier for a record within a repository. Format will be repository-specific. Examples include NIH UIDs (unique identifiers) and accession numbers; ENA accession numbers; PDB IDs	For example, https://support.ncbi.nlm.nih.gov/link/portal/28045/28049/Article/499/ http://www.ebi.ac.uk/ena/submit/accession-number-formats
Pubmed ID (PMID)	Publishing	An example of a repository-specific unique identifier: PubMed IDs are used for research publications indexed in the PubMed database	https://www.ncbi.nlm.nih.gov/pubmed/
International Standard Serial Number (ISSN)	Publishing	A unique identifier for a journal, magazine or periodical	http://www.issn.org/
International Standard Book Number (ISBN)	Publishing	A unique identifier for a book, specific to the title, edition and format	https://www.isbn-international.org

non-identifiable data if data is to be shared (see the [Australian National Data Service de-identification guide](#), the [National Health and Medical Research Council statement on ethical conduct in human research](#), and the [Australian National Medical Research Storage Facility discussion paper on legal, best practice and security frameworks](#)). In addition, long-term preservation of research data should consider threats such as storage failure, mistaken erasure, bit rot, outdated media, outdated formats, loss of context and organisational failure⁷³.

Sharing data

The best-practice approach to sharing biological data is to deposit it (with associated metadata) in a primary archive suitable for that datatype⁸ that complies with FAIR principles. As highlighted in the [Storing data](#) section, these archives assure both data storage and public sharing as their core mission, making them the most reliable location for long-term data storage. Alternative data sharing venues (e.g. FigShare, Dryad) do not require or implement specific metadata or data standards. This means that while these venues have a low barrier to entry for submitters, the data is not FAIR unless submitters have independently decided to comply with more stringent criteria. If available, an institutional repository may be a good option if there is no suitable archive for that datatype. Importantly, plans for data sharing should be made at the start of a research project and reviewed during the project, to ensure ethical approval is in place and that the resources and metadata needed for effective sharing are available at earlier stages of the data life cycle³.

During the EMBL-ABR workshop series, the majority of participants were familiar with at least some public primary data repositories, and many had submitted data to them previously. A common complaint was around usability of current data submission tools and a lack of transparency around metadata requirements and the rationale for them. A few workshop participants raised specific issues about the potential limitations of public data repositories where their data departed from the assumptions of the repository (e.g. unusual gene models supported by experimental evidence that were rejected by the automated NCBI curation system). Most workshop participants were unaware they could provide feedback to the repositories to deal with such situations, and this could also be made clearer on the repository websites. Again, this points in part to existing limitations in the undergraduate and postgraduate training received by researchers, where the concepts presented in this article are presented as afterthoughts, if at all. On the repository side, while there is a lot of useful information and training material available to guide researchers through the submission process (e.g. the [EMBL-EBI Train Online webinars and online training modules](#)), it is not always linked clearly from the database portals or submission pages themselves. Similarly, while there are specifications and standards available for many kinds of metadata [Table 4; also see [FAIRsharing](#)], many

do not have example templates available, which would assist researchers in implementing the standards in practice.

What can the research community do to encourage best practice?

We believe that the biological/biomedical community and individual researchers have a responsibility to the public to help advance knowledge by making research data FAIR for reuse⁹, especially if the data were generated using public funding. There are several steps that can assist in this mission:

1. **Senior scientists should lead by example** and ensure all the data generated by their laboratories is well-managed, fully annotated with the appropriate metadata and made publicly available in an appropriate repository.
2. **The importance of data management and benefits of data reuse should be taught** at the undergraduate and postgraduate levels¹⁸. Computational biology and bioinformatics courses in particular should include material about data repositories, data and metadata standards, data discovery and access strategies. Material should be domain-specific enough for students to attain learning outcomes directly relevant to their research field.
3. Funding bodies are already taking a lead role in this area by requiring the incorporation of a data management plan into grant applications. A next step would be for a **formal check, at the end of the grant period, that this plan has been adhered to and data is available in an appropriate format for reuse**¹⁰.
4. **Funding bodies and research institutions should judge quality dataset generation as a valued metric when evaluating grant or promotion applications.**
5. **Similarly, leadership and participation in community efforts in data and metadata standards, and open software and workflow development should be recognised as academic outputs.**
6. **Data repositories should ensure that the data deposition and third-party annotation processes are as FAIR and painless as possible** to the naive researcher, without the need for extensive bioinformatics support³⁵.
7. **Journals should require editors and reviewers to check manuscripts to ensure that all data, including research software code and samples where appropriate, have been made publicly available in an appropriate repository**, and that methods have been described in enough detail to allow re-use and meaningful reanalysis⁸.
8. Finally, **researchers reusing any data should openly acknowledge this fact and fully cite the dataset, including unique identifiers**^{8,10,30}.

Conclusions

While the concept of a life cycle for research data is appealing from an Open Science perspective, challenges remain for life science researchers to put this into practice. During the EMBL-ABR Data Life Cycle workshop series, we noted limited awareness among attendees of the resources available to researchers that assist in finding, collecting, processing, analysis, publishing, storing and sharing FAIR data. We believe this article provides a useful overview of the relevant concepts and an introduction to key organisations, resources and guidelines to help researchers improve their data management practices.

Furthermore, we note that data management in the era of biology as a data science is a complex and evolving topic and both best practices and challenges are highly domain-specific, even within the life sciences. This factor may not always be appreciated at the organisational level, but has major practical implications for the quality and interoperability of shared life science data. Finally, domain-specific education and training in data management would be of great value to the life science research workforce, and

we note an existing gap at the undergraduate, postgraduate and short course level in this area.

Competing interests

No competing interests were disclosed.

Grant information

This publication was possible thanks to funding support from the University of Melbourne and Bioplatforms Australia (BPA) via an Australian Government NCRIS investment (to EMBL-ABR).

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Acknowledgements

The authors thank Dan Bolser for his involvement in the EMBL-ABR Data Life Cycle workshops, and all workshop participants for sharing their experiences and useful discussions.

References

- Cohen-Boulakia S, Belhajjame K, Collin O, *et al.*: **Scientific workflows for computational reproducibility in the life sciences: status, challenges and opportunities.** *Future Gener Comput Syst.* 2017; 75: 284–298.
[Publisher Full Text](#)
- Hampton SE, Anderson SS, Bagby SC, *et al.*: **The Tao of open science for ecology.** *Ecosphere.* 2015; 6(7): 1–13.
[Publisher Full Text](#)
- Lord P, Macdonald A, Sinnot R, *et al.*: **Large-scale data sharing in the life sciences: Data standards, incentives, barriers and funding models [Internet].** UK e-Science; 2005; Report No.: UKeS-2006-02.
[Reference Source](#)
- Piwowar HA, Vision TJ: **Data reuse and the open data citation advantage.** *PeerJ.* 2013; 1: e175.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Vines TH, Albert AY, Andrew RL, *et al.*: **The availability of research data declines rapidly with article age.** *Curr Biol.* 2014; 24(1): 94–97.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Lewis J, Breeze CE, Charlesworth J, *et al.*: **Where next for the reproducibility agenda in computational biology?** *BMC Syst Biol.* 2016; 10(1): 52.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Voytek B: **The Virtuous Cycle of a Data Ecosystem.** *PLoS Comput Biol.* 2016; 12(8): e1005037.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Whitlock MC: **Data archiving in ecology and evolution: best practices.** *Trends Ecol Evol.* 2011; 26(2): 61–65.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Wilkinson MD, Dumontier M, Aalbersberg IJ, *et al.*: **The FAIR Guiding Principles for scientific data management and stewardship.** *Sci Data.* 2016; 3: 160018.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Van Tuyl S, Whitmire AL: **Water, Water, Everywhere: Defining and Assessing Data Sharing in Academia.** *PLoS One.* 2016; 11(2): e0147942.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Rüegg J, Gries C, Bond-Lamberty B, *et al.*: **Completing the data life cycle: using information management in macrosystems ecology research.** *Front Ecol Environ.* Ecological Society of America. 2014; 12(1): 24–30.
[Publisher Full Text](#)
- Moody D, Walsh P: **Measuring the value of information: an asset valuation approach.** *European Conference on Information Systems.* 1999; 17.
[Reference Source](#)
- Mons B, Neylon C, Velterop J, *et al.*: **Cloudy, increasingly FAIR; revisiting the FAIR Data guiding principles for the European Open Science Cloud.** *Inf Serv Use.* IOS Press; 2017; 37(1): 49–56.
[Publisher Full Text](#)
- Michener WK, Jones MB: **Ecoinformatics: supporting ecology as a data-intensive science.** *Trends Ecol Evol.* 2012; 27(2): 85–93.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Lenhardt WC, Ahalt S, Blanton B, *et al.*: **Data management lifecycle and software lifecycle management in the context of conducting science.** *J Open Res Softw.* 2014; 2(1): e15.
[Publisher Full Text](#)
- Data's shameful neglect.** *Nature.* 2009; 461(7261): 145.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Strasser CA, Hampton SE: **The fractured lab notebook: undergraduates and ecological data management training in the United States.** *Ecosphere.* Ecological Society of America. 2012; 3(12): 1–18.
[Publisher Full Text](#)
- Tenopir C, Allard S, Sinha P, *et al.*: **Data Management Education from the Perspective of Science Educators.** *International Journal of Digital Curation.* 2016; 11(1): 232–251.
[Publisher Full Text](#)
- Simms S, Strong M, Jones S, *et al.*: **The future of data management planning: tools, policies, and players.** *International Journal of Digital Curation.* 2016; 11(1): 208–217.
[Publisher Full Text](#)
- Schneider MV, Griffin PC, Tyagi S, *et al.*: **Establishing a distributed national research infrastructure providing bioinformatics support to life science researchers in Australia.** *Brief Bioinform.* 2017.
[Publisher Full Text](#)
- Womack RP: **Research Data in Core Journals in Biology, Chemistry, Mathematics, and Physics.** *PLoS One.* 2015; 10(12): e0143460.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- McKiernan EC, Bourne PE, Brown CT, *et al.*: **How open science helps researchers succeed.** *eLife.* 2016; 5: pii: e16800.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Sansone SA, Rocca-Serra P, Field D, *et al.*: **Toward interoperable bioscience data.** *Nat Genet.* 2012; 44(2): 121–126.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Cook CE, Bergman MT, Finn RD, *et al.*: **The European Bioinformatics Institute in 2016: Data growth and integration.** *Nucleic Acids Res.* 2016; 44(D1): D20–6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- NCBI Resource Coordinators: **Database Resources of the National Center for Biotechnology Information.** *Nucleic Acids Res.* 2017; 45(D1): D12–D17.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mashima J, Kodama Y, Fujisawa T, *et al.*: **DNA Data Bank of Japan.** *Nucleic Acids Res.* 2017; 45(D1): D25–D31.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

27. SIB Swiss Institute of Bioinformatics Members: **The SIB Swiss Institute of Bioinformatics' resources: focus on curated databases.** *Nucleic Acids Res.* 2016; **44**(D1): D27–37.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
28. Burley SK, Berman HM, Kleywegt GJ, *et al.*: **Protein Data Bank (PDB): The Single Global Macromolecular Structure Archive.** *Methods Mol Biol.* 2017; **1607**: 627–641.
[PubMed Abstract](#) | [Publisher Full Text](#)
29. Beagrie N, Houghton J: **The value and impact of the European Bioinformatics Institute: executive summary.** Charles Beagrie Ltd.; 2016.
[Reference Source](#)
30. Thessen AE, Patterson DJ: **Data issues in the life sciences.** *Zookeys.* 2011; (150): 15–51.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
31. Costello MJ, Appeltans W, Baillly N, *et al.*: **Strategies for the sustainability of online open-access biodiversity databases.** *Biol Conserv.* 2014; **173**: 155–165.
[Publisher Full Text](#)
32. Oliver SG, Lock A, Harris MA, *et al.*: **Model organism databases: essential resources that need the support of both funders and users.** *BMC Biol.* 2016; **14**: 49.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
33. Kaiser J: **BIOMEDICAL RESOURCES. Funding for key data resources in jeopardy.** *Science.* 2016; **351**(6268): 14.
[PubMed Abstract](#) | [Publisher Full Text](#)
34. Schnoes AM, Brown SD, Dodevski I, *et al.*: **Annotation error in public databases: misannotation of molecular function in enzyme superfamilies.** *PLoS Comput Biol.* 2009; **5**(12): e1000605.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
35. Bengtsson-Palme J, Boulund F, Edström R, *et al.*: **Strategies to improve usability and preserve accuracy in biological sequence databases.** *Proteomics.* 2016; **16**(18): 2454–2460.
[PubMed Abstract](#) | [Publisher Full Text](#)
36. ten Hoopen P, Amid C, Buttigieg PL, *et al.*: **Value, but high costs in post-deposition data curation.** *Database (Oxford).* 2016; **2016**: pii: bav126.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
37. McQuilton P, Gonzalez-Beltran A, Rocca-Serra P, *et al.*: **BioSharing: curated and crowd-sourced metadata standards, databases and data policies in the life sciences.** *Database (Oxford).* 2016; **2016**: pii: baw075.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
38. Malone J, Stevens R, Jupp S, *et al.*: **Ten Simple Rules for Selecting a Bio-ontology.** *PLoS Comput Biol.* 2016; **12**(2): e1004743.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
39. Rocca-Serra P, Salek RM, Arita M, *et al.*: **Data standards can boost metabolomics research, and if there is a will, there is a way.** *Metabolomics.* 2016; **12**: 14.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
40. Tenenbaum JD, Sansone SA, Haendel M: **A sea of standards for omics data: sink or swim?** *J Am Med Inform Assoc.* 2014; **21**(2): 200–203.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
41. Pearson WR, Lipman DJ: **Improved tools for biological sequence comparison.** *Proc Natl Acad Sci U S A.* 1988; **85**(8): 2444–2448.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
42. Cock PJ, Fields CJ, Goto N, *et al.*: **The Sanger FASTQ file format for sequences with quality scores, and the Solexa/Illumina FASTQ variants.** *Nucleic Acids Res.* 2010; **38**(6): 1767–1771.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
43. Taylor CF, Field D, Sansone SA, *et al.*: **Promoting coherent minimum reporting guidelines for biological and biomedical investigations: the MIBBI project.** *Nat Biotechnol.* 2008; **26**(8): 889–896.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
44. Hinsin K: **ActivePapers: a platform for publishing and archiving computer-aided research [version 3; referees: 3 approved].** *F1000Res.* 2015; **3**: 289.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
45. Piccolo SR, Frampton MB: **Tools and techniques for computational reproducibility.** *Gigascience.* 2016; **5**(1): 30.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
46. Jiménez RC, Kuzak M, Alhamdoosh M, *et al.*: **Four simple recommendations to encourage best practices in research software [version 1; referees: 3 approved].** *F1000Res.* 2017; **6**: pii: ELIXIR-876.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
47. Artaza H, Chue Hong N, Corpas M, *et al.*: **Top 10 metrics for life science software good practices [version 1; referees: 2 approved].** *F1000Res.* 2016; **5**: pii: ELIXIR-2000.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
48. Wilson G, Bryan J, Cranston K, *et al.*: **Good enough practices in scientific computing.** *PLoS Comput Biol.* 2017; **13**(6): e1005510.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
49. Faulconbridge A, Burdett T, Brandizi M, *et al.*: **Updates to BioSamples database at European Bioinformatics Institute.** *Nucleic Acids Res.* 2014; **42**(Database issue): D50–2.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
50. Schilthuizen M, Vairappan CS, Slade EM, *et al.*: **Specimens as primary data: museums and 'open science'.** *Trends Ecol Evol.* 2015; **30**(5): 237–238.
[PubMed Abstract](#) | [Publisher Full Text](#)
51. Turney S, Cameron ER, Cloutier CA, *et al.*: **Non-repeatable science: assessing the frequency of voucher specimen deposition reveals that most arthropod research cannot be verified.** *PeerJ.* 2015; **3**: e1168.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
52. Walters C, Volk GM, Richards CM: **Genebanks in the post-genomic age: emerging roles and anticipated uses.** *Biodiversity.* Taylor & Francis; 2008; **9**(1–2): 68–71.
[Publisher Full Text](#)
53. Lloyd K, Franklin C, Lutz C, *et al.*: **Reproducibility: use mouse biobanks or lose them.** *Nature.* 2015; **522**(7555): 151–153.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
54. Watson PH: **Biospecimen Complexity: the Next Challenge for Cancer Research Biobanks?** *Clin Cancer Res.* 2017; **23**(4): 894–898.
[PubMed Abstract](#) | [Publisher Full Text](#)
55. Schnell S: **Ten Simple Rules for a Computational Biologist's Laboratory Notebook.** *PLoS Comput Biol.* 2015; **11**(9): e1004385.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
56. Walsh E, Cho I: **Using Evernote as an electronic lab notebook in a translational science laboratory.** *J Lab Autom.* 2013; **18**(3): 229–234.
[PubMed Abstract](#) | [Publisher Full Text](#)
57. Smith VS, Rycroft SD, Brake I, *et al.*: **Scratchpads 2.0: a Virtual Research Environment supporting scholarly collaboration, communication and data publication in biodiversity science.** *Zookeys.* 2011; (150): 53–70.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
58. Boettiger C: **A reproducible R notebook using Docker.** In: Kitzes J, Turek D, Deniz F, editors. *The practice of reproducible research: case studies and lessons from the data-intensive sciences.* Oakland, CA: University of California Press; 2017.
[Reference Source](#)
59. Koshland DE Jr: **The price of progress.** *Science.* 1988; **241**(4866): 637.
[PubMed Abstract](#) | [Publisher Full Text](#)
60. Jasny BR: **Realities of data sharing using the genome wars as case study - an historical perspective and commentary.** *EPJ Data Sci.* 2013; **2**: 1.
[Publisher Full Text](#)
61. Caetano DS, Aisenberg A: **Forgotten treasures: the fate of data in animal behaviour studies.** *Anim Behav.* 2014; **98**: 1–5.
[Publisher Full Text](#)
62. Piwowar HA, Chapman WW: **A review of journal policies for sharing research data. Open scholarship: authority, community, and sustainability in the age of Web 2.0 Proceedings of the 12th International Conference on Electronic Publishing (ELPUB) 2008.** Toronto, Canada; 2008.
[Reference Source](#)
63. National Research Council, Division on Earth and Life Studies, Board on Life Sciences, *et al.*: **Sharing Publication-Related Data and Materials: Responsibilities of Authorship in the Life Sciences.** National Academies Press; 2003.
[PubMed Abstract](#) | [Publisher Full Text](#)
64. Kilkeny C, Browne WJ, Cuthill IC, *et al.*: **Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research.** *PLoS Biol.* 2010; **8**(6): e1000412.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
65. Naughton L, Kernohan D: **Making sense of journal research data policies.** *Insights.* UKSG in association with Ubiquity Press; 2016; **29**(1): 84–89.
[Publisher Full Text](#)
66. Iqbal SA, Wallach JD, Khoury MJ, *et al.*: **Reproducible Research Practices and Transparency across the Biomedical Literature.** *PLoS Biol.* 2016; **14**(1): e1002333.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
67. Nekrutenko A, Taylor J: **Next-generation sequencing data interpretation: enhancing reproducibility and accessibility.** *Nat Rev Genet.* 2012; **13**(9): 667–672.
[PubMed Abstract](#) | [Publisher Full Text](#)
68. Ioannidis JP, Khoury MJ: **Improving validation practices in "omics" research.** *Science.* 2011; **334**(6060): 1230–1232.
[PubMed Abstract](#) | [Publisher Full Text](#)
69. Errington TM, Iorns E, Gunn W, *et al.*: **An open investigation of the reproducibility of cancer biology research.** *eLife.* 2014; **3**: e04333.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
70. Wolpert AJ: **For the sake of inquiry and knowledge—the inevitability of open access.** *N Engl J Med.* Mass Medical Soc; 2013; **368**(9): 785–787.
[PubMed Abstract](#) | [Publisher Full Text](#)
71. Laakso M, Wellington P, Bukvova H, *et al.*: **The development of open access journal publishing from 1993 to 2009.** *PLoS One.* 2011; **6**(6): e20961.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
72. McMurphy JA, Juty N, Blomberg N, *et al.*: **Identifiers for the 21st century: How to design, provision, and reuse persistent identifiers to maximize utility and impact of life science data.** *PLoS Biol.* 2017; **15**(6): e2001414.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
73. Baker M, Keeton K, Martin S: **Why traditional storage systems don't help us save stuff forever.** *Proc 1st IEEE Workshop on Hot Topics in System Dependability.* 2005; 2005–2120.
[Reference Source](#)