



---

## **Wunderlich metal ceilings : and other manufactures in stamped metal**

AUTHOR(S)

Wunderlich Limited

PUBLICATION DATE

01-01-1938

HANDLE

[10536/DRO/DU:30122280](#)

Downloaded from Deakin University's Figshare repository

Deakin University CRICOS Provider Code: 00113B



# WUNDERLICH METAL CEILINGS

— and other manufactures in stamped metal —

Catalogue - M 99



# WUNDERLICH METAL CEILINGS

AND OTHER MANUFACTURES IN STAMPED METAL.

For Beauty, Safety and Permanence, there is no substitute for Wunderlich Metal Ceilings. They are modern in design and function, and are ideal for ceilings to residences and flat buildings as well as to offices, stores and awnings.

Wunderlich Metal Ceilings are easily fixed—even over old and dilapidated ceilings. They cannot crack or fall, and are fire-retardant and vermin-proof. Once erected and painted they require no further attention.

Adherence to the range of patterns illustrated in this Catalogue will result in prompt delivery of requirements, as ample stocks are available at current list prices. Obsolete patterns that are not illustrated in this publication, but are shown in previous Wunderlich Catalogues can still be supplied, subject, however, to an initial charge of from £2 to £3 to cover the cost of special manufacture.

## CONTENTS

### Steel Materials.

	Page
Contemporary Art Ceiling Patterns .. .. .	4, 5, 6
Diapers .. .. .	7
Panellings .. .. .	8
Filler Panellings .. .. .	9
Moulded and Adam Type Ceiling Designs .. .. .	10-11
Borders, Combination Borders and Mouldings .. .. .	12
Soffits .. .. .	13
Mouldings and Cornices .. .. .	14-15
Galvanised Awning Fascias .. .. .	16
Ventilating Friezes and Sheetings .. .. .	17
Centreflowers .. .. .	18
Ventilators—Cast and Stamped .. .. .	19
Galvanised Sheetings .. .. .	20-21
Instructions for fixing and painting .. .. .	22-23
Classified Index to Patterns .. .. .	24

## WUNDERLICH LIMITED

Manufacturers of Building Materials of Quality

Metal Ceilings, Durabestos (Asbestos-Cement) Flat Wall Sheets and Corrugated Roofing, Terra-Cotta Roofing Tiles, Shopfronts and Show Cases. Arrhitectural Metalwork, Wunderglaze and Electro Copper Glazing Architectural Terra-Cotta, Colortex Bricks and Brickettes, Stoneware Pipes, etc., etc.


### SHOWROOMS

SYDNEY  
Baptist Street, Redfern  
ADELAIDE  
Grote and Morphet Streets  
PERTH  
Lord and Short Streets  
NEWCASTLE  
King Street (near Watt Street)


STH. MELBOURNE  
210 Hanna Street (near Sturt Street)  
BRISBANE  
Amelia Street, Valley  
HOBART  
T. & G. Building, Collins and Murray Streets  
LAUNCESTON  
71 St. John's Street



# COVER THAT UNSIGHTLY OLD CEILING WITH A BEAUTIFUL, SAFE, PERMANENT WUNDERLICH METAL CEILING



Battens in position preparatory to covering a Damaged Lath and Plaster Ceiling with Wunderlich Metal.




The complete Wunderlich Metal Ceiling—Suite 1718-1719—installed and decorated



## CONTEMPORARY ART PATTERNS.




**No. 1700\***  
Registered Design No. 11377.




**No. 1702\***  
Registration applied for.




**No. 1696\***  
Registered Design No. 11376.



**No. 1768\***



**No. 1684\***  
Registered Design No. 11327.  
Supplied in Sheets measuring 6ft. x 2ft.




**No. 1778\***


Illustrations represent 2ft. x 2ft.  
\*Stocked also in Galvanised Steel.  
**Note:** Nos. 1684 and 1696 are also available in Steel in sizes of 4ft. x 2ft. and 2ft. x 2ft., and  
Nos. 1684, 1700, 1702, 1768 and 1778 in Galvanised Steel in the 4ft. x 2ft. size.




## CONTEMPORARY ART PATTERNS.




No. 1705\*




No. 1712\*




No. 1681\*  
Registered Design No. 11326.



No. 1762\*



No. 1767\*



No. 1683\*  
Registered Design No. 11325.


Supplied in sheets measuring 6ft. x 2ft. Illustrations represent 2ft. x 2ft.

\*Stocked also in Galvanised Steel.

**Note:** No. 1681 is also available in both Steel and Galvanised Steel, in 4ft. x 2ft. Sheets.




## CONTEMPORARY ART PATTERNS.




No. 1794\*




No. 1764



No. 1777\*



No. 1630\*



No. 1785




No. 1787

Supplied in sheets measuring 6ft. x 2ft. Illustrations represent 2ft. x 2ft.


\*Stocked also in Galvanised Steel.




## DIAPERS.




No. 1567\*




No. 1588\*




No. 171\*



No. 1629



No. 1562




No. 1423

Supplied in sheets measuring 6ft. x 2ft. Illustrations represent 2ft. x 2ft.


\*Stocked also in Galvanised Steel.



## PANELLINGS.




No. 1587




No. 1589\*  
Patent No. 6569




No. 1673\*



No. 1677\*



No. 1501\*




No. 1578\*

Supplied in sheets measuring 6ft. x 2ft. Illustrations represent 2ft. x 2ft.


\*Stocked also in Galvanised Steel.




## FILLER PANELLINGS




**No. 1485\***  
Supplied in Sheets 6ft. x 3ft.



**No. 1491**  
Supplied in Sheets 6ft. x 3ft.



**No. 1640\***  
Supplied in Panels 3ft. x 3ft.




**No. 1393**  
Supplied in Sheets 6ft. x 3ft.

The illustrations represent 3ft. x 3ft.


\*Stocked also in Galvanised Steel.




## MOULDED DESIGNS.




No. 1774—Corner Panel, 2ft. x 2ft.  
 No. 1775—Border Panelling, 6ft. x 2ft.,  
 4ft. x 2ft., and 2ft. x 2ft.  
 No. 1578—Filler Sheetting, 6ft. x 2ft.



No. 1718—Corner Panel, 2ft. x 2ft.  
 No. 1719—Border Panelling, 6ft. x 2ft.  
 and 2ft. x 2ft.  
 No. 1578—Filler Sheetting, 6ft. x 2ft.



No. 1623—Corner Panel, 2ft. x 2ft.  
 No. 1624—Border Panelling, 6ft. x 2ft.,  
 4ft. x 2ft., and 2ft. x 2ft.  
 No. 1578—Filler Sheetting, 6ft. x 2ft.



No. 1560—Border Panelling, 6ft. x 2ft.  
 and 2ft. x 2ft.  
 No. 1561—Corner Panel, 2ft. x 2ft.  
 No. 1501—Filler Panelling, 6ft. x 2ft.

Illustrations represent portions of complete ceilings, 6ft. x 4ft.


**Note:** All four designs are available in both Steel and Galvanised Steel.




## MOULDED AND ADAM TYPE DESIGNS



- No. 1584.—Filler Sheeting, 6ft. x 3ft.  
 No. 1596.—Corner Panel, 2ft. 10½in. x 2ft. 10½in.  
 No. 1597.—Border Sheeting, 3ft. x 2ft. 10½in.




- No. 1456.—Corner Panel, 3ft. x 3ft.  
 No. 1457.—Border Panel, 3ft. x 3ft.  
 No. 1458.—Filler Panel, 3ft. x 3ft.  
 Also available is a similar suite of Floral Design.  
 Nos. 1435, 1436, 1437.



- No. 1593.—Corner Panel, 2ft. 10in. x 2ft. 10in.  
 No. 1594.—Border Sheeting, 6ft. x 2ft. 10in.  
 No. 1595.—Centre Panel, 3ft. x 3ft.

**Note.**—This Ceiling is suitable for rooms of a minimum size of 14ft. x 14ft.




- No. 1582.—Corner Panel, 2ft. 10in. x 2ft. 10in.  
 No. 1583.—Border Sheeting, 6ft. x 2ft. 10in.  
 No. 1584.—Filler Sheeting, 6ft. x 3ft.


Illustrations represent portions of complete Ceilings, 6ft. x 6ft.




## BORDERS.




No. 1406\*




No. 1616\*




No. 1538\*—Patent No. 6569



No. 172\*



No. 1387



No. 464

The Stock Sizes of Borders, No. 1616 and No. 1538, is 6ft. x 3ft. wide and 6ft. x 2ft. wide, whilst that of the other designs is 6ft. x 2ft. wide. All may be obtained to order in any narrower width.

Design No. 1406 is supplied with a bead along one edge. The illustrations represent 2ft. x 1ft.

\*Stocked also in Galvanised Steel.

## COMBINATION BORDER AND MOULDING.



No. 1508\*—Stock widths, 9in., 12in., 15in., 18in. and 24in.



No. 1680\*—Stock widths, 9in., 12in., 15in., 18in. and 24in.

Combination Border and Moulding such as No. 1508 and No. 1680 are more economical in use than separate units of Border and Moulding.


All Patterns illustrated above are supplied in 6ft. lengths.

\*Stocked also in Galvanised Steel.



## SOFFITS

The illustrations below are of stock patterns of beam Soffits. These Soffits are supplied with loose stiles (with the exception of **No. 1753**) thus enabling them to be employed as a treatment to beams varying in width from 6ins. to 18ins. Border Fillings are used for the fascia (or sides) of the beams. (See page 12.) Of these **No. 1406** is the most suitable. **No. 1406** together with stile **No. 1507** or the stile of **No. 1346** (known as **No. 1334**), can also be used as complete treatments for beam soffits of practically any width.





**No. 1507**  
Soffit Stile.





1 1/2"


**No. 1753**  
14in. to 18in.  
wide.




**No. 1771**  
10in. to 13in.  
wide.



**No. 1770**  
13in. to 18in.  
wide.



**No. 1346**  
14in. to 18in.  
wide.



Also **No. 1347**  
(same design),  
10in. to 14in.  
wide.

The above Soffits and Stiles are supplied in 6ft. lengths.



## MOULDINGS



No. 201—2 3/4 in. Girth\*.



No. 1468—2 in. Girth\*.



No. 204—4 in. Girth\*.



No. 1146—3 1/4 in. Girth\*.




No. 1493—2 1/4 in. Girth\*.



No. 206—4 in. Girth\*.




No. 499—4 in. Girth\*.



No. 205—3 1/2 in. Girth\*.



No. 1594—4 1/4 in. Girth.



No. 517—4 in. Girth.



No. 1710—4 in. Girth\*.



No. 1783—3 in. Girth\*.



No. 1784—4 in. Girth\*.



No. 654—5 in. Girth\*.

Supplied in lengths of 6ft. Bosses are used for the mitres of these mouldings.  
\*Stocked also in Galvanised Steel.

## ENRICHED STEEL CORNICES




No. 878—3 in. Girth\*.



No. 1749—3 in. Girth\*.



No. 1786—3 in. Girth\*.



No. 1708—5 in. Girth\*.



No. 933—3 in. Girth\*.



No. 1751—5 3/4 in. Girth\*.



No. 1685—6 1/2 in. Girth\*.




No. 1076—5 in. Girth\*.


Cornices are supplied in 6 feet lengths. Steel leaves are used for covering the mitre joints.  
\*Stocked also in Galvanised Steel.




## ENRICHED STEEL CORNICES



No. 1755—5in. Girth\*.



No. 1756—6in. Girth\*.



No. 1701—8in. Girth\*.



No. 1748—9in. Girth



No. 1757—7 1/2 in. Girth\*.






No. 1750—8 3/4 in. Girth\*.




No. 1563—8 1/2 in. Girth\*.




No. 1625—8 1/2 in. Girth\*.



No. 1779—8in. Girth\*.




No. 1781—14in. Girth.



No. 1780—9in. Girth\*.




No. 1454—11 1/2 in. Girth.



No. 1111—9in. Girth.



No. 1391—16 1/2 in. Girth.




Cornices are supplied in 6 feet lengths. Steel leaves are used for covering the mitre joints.

\*Stocked also in Galvanised Steel.




## GALVANISED AWNING FASCIAS



**No. 1776.**—Cornice and Cover.




**No. 1745.**—Cornice and Cover.




**No. 1644.**—Cornice and Cover.



**No. 1729.**—Cornice and Cover.





**No. 1612.** — Plain Frieze, 8ins. wide, also available **No. 1610**—with vertical flutings, 8ins. wide.



**No. 1639.** — Fluted Frieze, 9 1/2 in. wide (as illustrated). Also available:—

**No. 1621.** — Plain Frieze, 8in. wide.


**No. 1645.**—Embossed Frieze, 10in. wide (coin ground).



**No. 1730.**—Foot-mould.



**No. 1646.**—Foot-mould.



The above are supplied in 6ft lengths in Galvanised Steel, Zinc or Copper.



## VENTILATING FRIEZES AND SHEETINGS

**No. 1720**  
Size,  $1\frac{3}{8}" \times \frac{1}{4}"$



**No. 1721**  
Size,  $1\frac{3}{8}" \times 1\frac{7}{8}"$



**No. 1722**  
Size,  $1\frac{1}{4}" \times 1\frac{1}{4}"$




**No. 1723**  
Size,  $1\frac{3}{4}" \times 1\frac{5}{8}"$



**No. 1469**  
Size,  $3\frac{1}{2}"$  (over  
lugs).



**No. 1581**  
Size,  $3\frac{1}{4}" \times 3\frac{1}{4}"$




**No. 1725**  
Size,  $1\frac{3}{4}" \times \frac{1}{2}"$



**No. 1726**  
Size,  $4" \times \frac{3}{4}"$




**No. 1727**  
Size,  $3\frac{1}{4}" \times 3\frac{1}{4}"$



Ventilating Friezes are supplied in suitable lengths in sheet brass, copper, bronze, nickel silver, monel metal, aluminium and steel either in natural colour or polished, or oxidised.

**No. 1726** is available also in stainless steel.




**No. 1693.**—Zinc and Monel Metal: Stock size, 3ft. x 2ft.



**No. 1590.**—Steel: Stock size, 6ft. x 2ft.  
**No. 1590A.**—Galv.: Stock size, 6ft. x 2ft.  
**No. 1585.**—Zinc: Stock size, 3ft. x 2ft.



**No. 1728.**—Zinc: Stock size, 6ft. 10in. x 18 $\frac{1}{2}$ in.



**No. 1675.**—Zinc: Stock size, 3ft. x 2ft.



**No. 1367.**—Steel: Stock size, 6ft. x 2ft.  
**No. 1367A.**—Galvanised Steel: Stock size, 6ft. x 2ft.

Illustrations represent 2ft. x 1ft.



## CENTREFLOWERS



No. 1463.  
15½ in. Dia. Zinc.



No. 50.  
12 $\frac{3}{4}$ in. Dia. Steel.




No. 60.  
11¼in. x 11¼in. Zinc.




No. 52.  
14in. Dia. Zinc.



No. 55.  
18in. Dia. Steel.



No. 82—23in. Dia. Steel.




**No. 89**

12in. Diam.—Steel.	27in. Diam.—Zinc.
18in. Diam.—Steel.	30in. Diam.—Zinc.
24in. Diam.—Steel	33in. Diam.—Zinc.
36in. Diam.—Galv. Steel.	




No. 1570—24in. Dia. Zinc.



No. 1626—2ft. x 2ft. Steel.




No. 1084—18in x 18in. Zinc.



**No. 88—Steel.**  
 Stock Sizes—12in. x 12in. 18in. x  
 18in. 24in. x 24in.




## VENTILATORS – STAMPED AND CAST



**No. 1482**—Open Vent.  
Size: 9in. x 6in.

For internal walls.  
Also available hit or miss  
with knob **No. 1480**.

**No. 1752**—Open Vent.  
Size: 9in. x 3in.



**No. 966**—Open Vent.  
Size: 9in. x 3in.  
For internal walls.




**No. 1772**—Cast.  
Size overall:  
10in. x 3in.  
Size of opening:  
9in. x 2in.



**No. 1760**—Cast.  
Size overall:  
9½in. x 3½in.  
Size of opening:  
9in. x 3in.



**No. 1731**—Cast.  
Size overall:  
11in. x 4in.  
9in. x 3in.




**No. 1518**—Open Vent.  
Size: 9in. x 6in.  
For internal walls.




**No. 142**—Louvre.  
Size: 9in. x 6in.  
For external walls.



**No. 1704**—Stamped  
Copper Open Ventilator.  
Size: 6in. x 3in. overall.




**No. 1739**—Cast.  
Size overall,  
10½in. x 8½in.  
Size of opening,  
9in. x 6in.



**No. 1522**—Galvanised Hood Vent,  
fitted with fly wire.  
Sizes: 12in. x 4½in. and 9in. x 6in.



**No. 1695** — Stamped  
Zinc Open Ventilator.  
Size: 9in. x 6in.  
For internal walls.




**No. 121**—Louvre. Cast.  
Size: 9in. x 6in.  
For external walls.




**No. 1790** — Pressed  
Louvre Ventilator.  
Size 4in. x 2in. overall.  
Steel, painted or ducoed;  
also in Monel Metal.




**No. 1788**—Stamped  
Zinc or Brass Vent.  
Size overall:  
7½in. x 7in.



**No. 1699** — Stamped  
Zinc Open Ventilator.  
Size: 9in. x 6in.  
For internal walls.




**No. 965**—Louvre. Cast.  
Size: 9in. x 6in.  
For external walls.



**No. 1736**—Cast.  
Size overall  
10½in. x 7½in.  
Size of opening,  
9in. x 6in.

**Also No. 1551**—Cast.  
Size overall, 9½in. x 3½in.  
Size of opening,  
9in. x 3in.



**No. 1782**—Cast Bronze.  
Size: 15in. x 9in. overall.  
Also made to order up to  
3ft. 3in. x 1ft. 3in. overall.  
(Patterns of similar designs available)


Nos. 1480, 1482, 1518 and 1752 are supplied ready for use in steel, painted white; 966, 1695, 1699 and 1788 in plain zinc; Nos. 142 and 1522 in plain galvanised steel; Nos. 121 and 965 in plain cast zinc; No. 1704 in plain copper, and No. 1788 also in oxidised Brass.

The following Ventilators are available in Cast Brass, Bronze, Nickel-Silver, Aluminium, etc., either as cast, polished or oxidised, viz., 1551, 1731, 1736, 1739, 1760 and 1772.

**Note:**—The "Size of opening" refers to the dimensions of the wall opening.



## GALVANISED SHEETINGS




3 3/8 in. No. 189.—Fish-scale Sheetting.



2 1/2 in. No. 190.—Fish-scale Sheetting.


All the Fish-scale Patterns shown are stamped in Sheets 6ft. x 3ft. Pattern No. 189 is also available in 6ft. x 2ft. sheets.



5 1/2 in. No. 751.—Fish-scale Sheetting.

The covering capacity of each of the various 6ft. x 3ft. sheets is:—

190—5' 10 1/4" x 2' 9 1/2"  
189—5' 11" x 2' 10 1/2"  
751—5' 10" x 2' 8 1/2"




No. 1147.—Vermiculuted Quoins.

No. 1046.—Brick Sheetting.

No. 1147.—Vermiculuted Quoins, made in Galvanised Steel, and stocked in two sizes, viz., 1ft. 11 1/4 in. x 10 1/2 in. high, and 11 3/8 in. x 10 1/2 in. high.

No. 1046.—Brick Sheetting, stamped in Galvanised Steel. Stock size of sheets 6ft. x 3ft. (covering capacity, 5ft. 8 1/2 in. x 2ft. 11 in.).



No. 990. — Pilaster Sheets in Galvanised Steel.

No. 989.—Imitation Rock-face, in Galvanised Steel.


No. 989.—Supplied in various sizes, as under:—

5ft. 10 in. wide x 10 1/2 in. high  
3ft. 10 1/2 in. wide x 10 1/2 in. high  
1ft. 11 1/2 in. wide x 10 1/2 in. high  
1ft 7 1/2 in. wide x 10 1/2 in. high  
1ft 4 in. wide x 10 1/2 in. high  
1ft 2 in. wide x 10 1/2 in. high  
1ft. 1 in. wide x 10 1/2 in. high  
11 3/8 in. wide x 10 1/2 in. high


No. 990.—Supplied in sheets 1ft. 1 1/4 in. wide x 5ft. 3 in. high (6 blocks to the sheet).




## GALVANISED SHEETINGS




**No. 1591\***—Tile Pattern, sheets 6ft. x 2ft.\*




**No. 1662**—Tile Pattern, sheets 6ft. x 2ft.\*




**No. 220.**—Brick Pattern, sheets 6ft. x 2ft\*.



**No. 1504.**—Shingle Pattern, sheets 6ft. x 3ft. Covering capacity of sheets, 5ft. 10in. x 2ft. 9in.



**No. 1046.**—Brick Pattern, sheets, 6ft. x 3ft. Covering Capacity of sheets, 5ft. 8½in. x 2ft. 11in.



**No. 1045.**—Roughcast Pattern, sheets 6ft. x 3ft. and 6ft x 2ft. Covering capacity of 6ft. x 3ft. sheets, 5ft. 8½in. x 2ft. 11in.

Patterns **Nos. 1591, 1662 and 220** are used as linings for the interior walls of Bathrooms, Kitchens, Shops, etc. Internal and External Angle Strips, **Nos. 1369 and 1368**, should be used in conjunction with these sheetings.

**Nos. 1504, 1046 and 1045** are manufactured in heavy gauge Galvanised Steel, and are used for the exterior treatment to walls, roofs, etc. The above illustrations represent 2ft. x 2ft.


\***Nos. 1591, 1662 and 220** are stocked also in Steel.



# HOW TO FIX WUNDERLICH CEILINGS


## SECTIONS OF CEILING SHOWING METHODS OF FIXING

Wood Brackets  
at Joints.




SECTION No. 1.  
Diaper Ceiling, Scotia finish.

Having fixed battens, first fix scotia to the ceiling battens. Wood brackets are used at the joints of the scotia. On account of the depth of this scotia being less than 2in. no batten is necessary on the wall.



SECTION No. 2.  
Diaper or Panelling cut up to a large border finish.

Being in one piece, the cornice border and moulding is easily fixed. As the border is of a standard width, the ceiling pattern must be cut up to the moulding.



NOTE.—Many of our Cornices and Mouldings are provided with a bead on the edge to go over fillings or border pattern, and so avoid close trimming of the sheet.

The use of separate border and moulding enables the pattern in the ceiling to work out with a full ornament. The border can be cut to make up irregularities in the size of the room.



MITRE  
LEAVES.

## GENERAL REMARKS.

Where Wunderlich Metal Ceiling Materials are used, light timbers only are required for ceiling joists.

For fixing, the tools required are: Hammer, Bradawl, Punch, Pair of Snips, and Saw.

Procedure.—In case of New Buildings having plaster walls, a bevelled ground should be fixed, to which is secured the batten for the bottom of cornice; and the walls floated before the Metal Material is fixed.

For old Brick Buildings plugs should be inserted and battens fixed thereto.

For the body of the ceilings mark on the ends of the outside joists the distance which the cornice will project from the walls. These marks denote the centre of

the batten carrying the top of cornice and the ends of the ceiling sheets. Space out 1½ in. x 1 in. Oregon ceiling battens at 12 in. centre to centre, starting from centre of the room, if it is desired that the ceiling pattern should be equal at the sides of the room.

With many of our smaller pattern diaper sheetings it is sufficient to start with a pattern from one side and end of the room, in which case the battens can be spaced 12 in. centre to centre from the centre of the cornice batten. Cut in cross battens to take the ends of metal sheets. Also, on two sides of the room fix trimmers level with under side of joist, to which nail the cornice batten.

Fix wood brackets behind angles and cornice joints. A batten must be fixed under all joints.

## METAL FIXING.

Cornice.—For mitring, allow one length of the Cornice to butt on to the wall, scribing the opposite length to it, covering the joint with a mitre leaf, using a little putty on the edge of the leaf before pressing it into the angle. Then nail to battens and brackets.

Sheeting.—All sheets are trimmed true, and always lap at the joint. When the Cornice is fixed, start

fixing the sheets from the centre or side of the room, according to the spacing of the battens. To ensure a first-class job, temporarily tack the ceiling sheets in position, ascertaining if the lines are correct before completing the nailing. When all the sheets are nailed home, go over the joints with a small blunt tool, and tuck edges so that they lie close and even.



## HOW TO FIX DADOS AND WALL LININGS

Dado and Wall Lining Materials are attached to battens fixed to plugs in the wall, or nailed to wood studs, but it is advisable that the lower three feet of the Metal Sheetting be attached to wood lining boards in lieu of battens. If the Ceilings are also to be of metal, they should be fixed first.

Obtain the height of dado, and strike a perfectly horizontal line for top of dado panels, allowing for height of wood skirting.

Now fix the battens for Metal Sheettings in a similar manner as for Ceilings, bearing in mind that it is essential to get an equal amount of the pattern on each side of the room. A batten should be placed


under each joint, and one under the centre of the sheet.

When all battens are in position, fix dado moulding and angle strips. (See Nos. 1368, 69, 70.)

Dado Panels and Metal Sheetting should now be fixed. Place the lower bead of the wall sheet along the flange on the dado moulding, and cut the pattern up to the bottom flange of the Cornice. To make a good joint where the sheets are cut against the Cornice, an extra flange piece should be used under the Cornice.


This piece (No. 1370) should be fixed at the same time as the Cornice.

### STEEL ANGLE STRIPS.



No. 1368

Steel External Angle Strip, used with our Steel Wall Linings. (Half Actual Size.)



No. 1369

Steel Internal Angle Strip, used in conjunction with our Steel Wall Linings. (Half Actual Size.)



No. 1370

Extra Flange, used at the intersection of Steel Cornice and Wall Lining. (Actual Size.)

Angle Strips Nos. 1368, 1369 and 1370, are supplied in 6ft. lengths.

## HOW TO PAINT WUNDERLICH CEILINGS

### STEEL MATERIAL.

Wunderlich Steel Ceiling Material is supplied already primed on both surfaces with a film of oil paint. When fixed, the Ceilings should be given three coats of OIL PAINT, although two coats may be found sufficient in some instances.

Do not use distemper or water paints.

COAT No. 1.—This should consist of pure white lead or zinc white, brought to the required consistency with a mixture consisting of three parts of raw oil and one part of turps. A small quantity of goldsize should be added, for drying purposes.

COAT No. 2.—Similar to Coat No. 1, with the addition of a mixture of tints, as required. To obtain a flatted finish, which is recommended, use only a small quantity of oil (say three parts of turps, and one part of oil, added to the white lead).

COAT No. 3.—Should a third coat be used, it would be similar to Coat No. 2.

Where necessary for stopping joints, mitre leaves, bosses, etc., the best oil putty should be used.

If the final finish is to be white, it will be found that the intensity of the white can be maintained longer, by the addition of a small quantity of ultramarine blue in the various coats of paint.

### GALVANISED OR ZINC MATERIAL.

Before painting or spraying Galvanised Iron or Zinc surfaces, it is essential that the greasy microscopic film of Palmitate of Zinc, left on the sheets during manufacture, is removed.

Removal can be effected by:—

- (1) Allowing the metal to weather for a considerable period.
- (2) Treating the surface of the metal with the following mixture:—

Chloride of Copper	....	1lb.	Hydrochloric Acid	....	1lb.
Nitrate of Copper	....	1lb.	Ammonium Chloride	....	1lb.
Water	....	....		....	8lbs.

Apply with a brush and leave on for several hours, then wash down with clear water to remove excess chemicals and allow the surface to thoroughly dry.

**Note.**—As this etching mixture is somewhat corrosive, care must be taken when applying that it does not come in contact with the hands. It is essential also that every trace be removed from the sheets before painting.



# WUNDERLICH METAL CEILINGS

## CLASSIFIED INDEX TO PATTERNS

Catalogue No.	Page No.	Catalogue No.	Page No.	Catalogue No.	Page No.	Catalogue No.	Page No.
50	18	1406	12	1594	11	1722	17
52	18	1423	7	1594	14	1723	17
55	18	1435	11	1595	11	1725	17
60	18	1436	11	1596	11	1726	17
82	18	1437	11	1597	11	1727	17
88	18	1454	15	1610	16	1728	17
89	18	1456	11	1612	16	1729	16
121	19	1457	11	1616	12	1730	16
142	19	1458	11	1621	16	1731	19
171	7	1463	18	1623	10	1736	19
172	12	1468	14	1624	10	1739	19
189	20	1469	17	1625	15	1742	19
190	20	1480	19	1626	18	1745	16
201	14	1482	19	1629	7	1748	15
204	14	1485	9	1630	6	1749	14
205	14	1491	9	1639	16	1750	15
206	14	1493	14	1640	9	1751	14
220	21	1501	8	1644	16	1752	19
464	12	1501	10	1645	16	1753	13
499	14	1504	21	1646	16	1755	15
517	14	1507	13	1662	21	1756	15
654	14	1508	12	1673	8	1757	15
751	20	1518	19	1674	19	1760	19
878	14	1522	19	1675	16	1762	5
933	14	1538	12	1677	8	1764	6
965	19	1551	19	1680	12	1767	5
966	19	1560	10	1681	5	1768	4
989	20	1561	10	1683	5	1770	13
990	20	1562	7	1684	4	1771	13
1045	21	1563	15	1685	14	1772	19
1046	20	1567	7	1693	17	1774	10
1046	21	1570	18	1695	19	1775	10
1076	14	1578	8	1696	4	1776	16
1084	18	1578	10	1699	19	1777	6
1111	15	1581	17	1700	4	1778	4
1146	14	1582	11	1701	15	1779	15
1147	20	1583	11	1702	4	1780	15
1346	13	1584	11	1704	19	1781	15
1347	13	1585	17	1705	5	1783	14
1367	17	1587	8	1708	14	1784	14
1367A	17	1588	7	1710	14	1785	6
1368	23	1589	8	1712	5	1786	14
1369	23	1590	17	1718	10	1787	6
1370	23	1590A	17	1719	10	1788	19
1387	12	1591	21	1720	17	1790	19
1391	15	1593	11	1721	17	1794	6
1393	9						