

DR. ANTOINE DUJON (Orcid ID : 0000-0002-1579-9156)

DR. CATHERINE ALIX-PANABIÈRES (Orcid ID : 0000-0002-6401-2903)

DR. SARAH R AMEND (Orcid ID : 0000-0002-5606-1262)

DR. JEAN-PASCAL CAPP (Orcid ID : 0000-0002-6470-079X)

DR. JAMES DEGREGORI (Orcid ID : 0000-0002-1287-1976)

DR. ROBERT GATENBY (Orcid ID : 0000-0002-1621-1510)

DR. MATHIEU GIRAUDAU (Orcid ID : 0000-0001-8563-1810)

DR. RODRIGO HAMEDE (Orcid ID : 0000-0003-1526-225X)

DR. ELSA HANSEN (Orcid ID : 0000-0003-1874-529X)

DR. CARLO MALEY (Orcid ID : 0000-0002-0745-7076)

DR. NICHOLAS MCGRANAHAN (Orcid ID : 0000-0001-9537-4045)

DR. AURORA MIHAELA NEDELCU (Orcid ID : 0000-0002-7517-2419)

DR. ROBERT NOBLE (Orcid ID : 0000-0002-8057-4252)

DR. LEONARD NUNNEY (Orcid ID : 0000-0002-4315-3694)

DR. BEATA UJVARI (Orcid ID : 0000-0003-2391-2988)

DR. FREDERIC THOMAS (Orcid ID : 0000-0003-2238-1978)

Article type : Perspective

Identifying key questions in the ecology and evolution of cancer

Short title: Questions in the ecology and evolution of cancer

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1111/EVA.13190](https://doi.org/10.1111/EVA.13190)

This article is protected by copyright. All rights reserved

Antoine M. Dujon^{1, 2}, Athena Aktipis³, Catherine Alix-Panabières⁴, Sarah R. Amend⁵, Amy M. Boddy⁶, Joel S. Brown⁷, Jean-Pascal Capp⁸, James DeGregori⁹, Paul Ewald¹⁰, Robert Gatenby¹¹, Marco Gerlinger¹², Mathieu Giraudeau^{2,13}, Rodrigo K. Hamede¹⁴, Elsa Hansen¹⁵, Irina Kareva¹⁶, Carlo C. Maley¹⁷, Andriy Marusyk¹⁸, Nicholas McGranahan^{19,20}, Michael J. Metzger²¹, Aurora M. Nedelcu²², Robert Noble²³, Leonard Nunney²⁴, Kenneth J. Pienta²⁵, Kornelia Polyak²⁶, Pascal Pujol^{2,27}, Andrew F. Read²⁸, Benjamin Roche^{2, 29}, Susanne Sebens³⁰, Eric Solary^{31,32}, Kateřina Staňková^{33,34}, Holly Swain Ewald¹⁰, Frédéric Thomas^{2*}, Beata Ujvari^{1*}

*Equal contribution

Authors affiliations:

Antoine Dujon, Beata Ujvari:

¹Deakin University, Geelong, School of Life and Environmental Sciences, Centre for Integrative Ecology, Waurn Ponds, Vic 3216, Australia.

Antoine Dujon, Frédéric Thomas, Mathieu Giraudeau, Pascal Pujol, Benjamin Roche: ²

²CANECEV- Centre de Recherches Ecologiques et Evolutives sur le cancer (CREEC), Montpellier 34090, France

Athena Aktipis:

³Biodesign Institute and Department of Psychology, Arizona State University

Catherine Alix-Panabières:

⁴Laboratory of Rare Human Circulating Cells (LCCRH), University Medical Center of Montpellier, Montpellier, France

Sarah R. Amend:

⁵Brady Urological Institute, The Johns Hopkins School of Medicine, Baltimore, MD 21287

ORCID: 0000-0002-5606-1262

Amy M. Boddy:

⁶Department of Anthropology, University of California Santa Barbara, CA, USA

Joel S. Brown:

⁷Department of Integrated Mathematics, Moffitt Cancer Center, Tampa, Florida, USA

Jean-Pascal Capp:

⁸Toulouse Biotechnology Institute, INSA / University of Toulouse, CNRS, INRAE, Toulouse, France

James DeGregori:

⁹Department of Biochemistry and Molecular Genetics, Integrated Department of Immunology, Department of Paediatrics, Department of Medicine (Section of Hematology), University of Colorado School of Medicine, Aurora, CO 80045

Paul Ewald, Holly Swain:

¹⁰Department of Biology, University of Louisville, Louisville, KY 40204

Robert Gatenby:

¹¹Department of Radiology, H. Lee Moffitt Cancer Center & Research Institute, Tampa, FL 33612, USA

Marco Gerlinger:

¹²Translational Oncogenomics Lab, The Institute of Cancer Research 237 Fulham Road London SW3 6JB United Kingdom

Mathieu Giraudeau:

¹³Littoral Environnement et Sociétés (LIENSs), UMR 7266 CNRS-Université de La Rochelle, La Rochelle, France.

Rodrigo K. Hamede:

¹⁴School of Natural Sciences, University of Tasmania, Private Bag 55, Hobart, Tasmania, 7001, Australia

ORCID: 0000-0003-1526-225X

Elsa Hansen:

¹⁵Center for Infectious Disease Dynamics, Biology Department, Pennsylvania State University

Irina Kareva:

¹⁶Mathematical and Computational Sciences Center, School of Human Evolution and Social Change, Arizona State University, Tempe, AZ, USA

Carlo C. Maley:

¹⁷Arizona Cancer Evolution Center, Biodesign Institute and School of Life Sciences, Arizona State University, Tempe, AZ, 85287, USA

Andriy Marusyk:

¹⁸Department of Cancer Physiology, H Lee Moffitt Cancer Centre and Research Institute, Tampa, FL, USA

Nicholas McGranahan:

¹⁹Translational Cancer Therapeutics Laboratory, The Francis Crick Institute, London, UK;

²⁰Cancer Research UK Lung Cancer Centre of Excellence, University College London Cancer Institute, Paul O'Gorman Building, London, UK.

Michael J. Metzger:

²¹Pacific Northwest Research Institute, 720 Broadway, Seattle, WA, 98122, USA

Aurora M. Nedelcu:

²²University of New Brunswick, Department of Biology, Fredericton, New Brunswick, Canada E3B 5A3

Robert Noble:

²³Department of Biosystems Science and Engineering, ETH Zurich, Basel, Switzerland

Department of Evolutionary Biology and Environmental Studies, University of Zurich, Zurich, Switzerland

Orcid number: 0000-0002-8057-4252

Leonard Nunney:

²⁴Department of Evolution, Ecology, and Organismal Biology University of California Riverside, 900 University Avenue, Riverside, CA 92521, USA

Kenneth J. Pienta:

²⁵Brady Urological Institute, The Johns Hopkins School of Medicine, Baltimore, MD 21287

ORCID number: 0000-0002-4138-2186

Kornelia Polyak:

²⁶Department of Medical Oncology, Dana-Farber Cancer Institute, Boston MA 02215, USA.

Department of Medicine, Harvard Medical School, Boston, MA 02115, USA.

Pascal Pujol:

²⁷Centre Hospitalier Universitaire Arnaud de Villeneuve, Montpellier, France.

Andrew F. Read:

²⁸Center for Infectious Disease Dynamics, Huck Institutes of the Life Sciences, Departments of Biology and Entomology, Pennsylvania State University

Benjamin Roche:

²⁹Unité mixte Internationale de Modélisation Mathématique et Informatique des Systèmes Complexes, UMI IRD/Sorbonne Université, UMMISCO, Bondy, France

Susanne Sebens:

³⁰Institute for Experimental Cancer Research Kiel University and University Hospital Schleswig-Holstein Campus Kiel; Arnold-Heller-Str. 3, Building 30 Entrance 1, 24105 Kiel, Germany; susanne.sebens@email.uni-kiel.de

Eric Solary:

³¹INSERM U1287, Gustave Roussy, 114 rue Edouard Vaillant, 94804, Villejuif, France

³²Université Paris-Saclay, Faculté de Médecine, Le Kremlin-Bicêtre, France

Kateřina Staňková:

³³Department of Data Science and Knowledge Engineering, Maastricht University, Maastricht, The Netherlands

³⁴Delft Institute of Applied Mathematics, Delft University of Technology, Delft, The Netherlands

Abstract:

The application of evolutionary and ecological principles to cancer prevention and treatment, as well as recognising cancer as a selection force in nature, has gained impetus over the last 50 years. Following the initial theoretical approaches that combined knowledge from interdisciplinary fields, it became clear that using the eco-evolutionary framework is of key importance to understand cancer. We are now at a pivotal point where accumulating evidence start to steer the future directions of the discipline and allow us to underpin the key challenges that remains to be addressed. Here, we aim to assess current advancements in the field, and to suggest future directions for research. First, we summarize cancer research areas that, so far, have assimilated ecological and evolutionary principles into their approaches and illustrate of their key importance. Then, we assembled 33 experts and identified 84 key questions, organized around nine major themes, to pave the foundations for research to come. We highlight the urgent need for broadening the portfolio of research directions to stimulate novel approaches at the interface of oncology and ecological and evolutionary sciences. We conclude that progressive and efficient cross-disciplinary collaborations that draw on the expertise of the fields of ecology, evolution and cancer are essential in order to efficiently address current and future questions about cancer.

Keywords: neoplasm, cancer therapy, evolutionary medicine, species interactions, transcriptomics, genetics, contemporary evolution

Introduction

The application of evolutionary and ecological principles to preventing and treating cancer (Gatenby & Brown, 2018), as well as to understanding the impact of cancer on organismal health, fitness, species stability and ecosystem functioning (Thomas et al., 2017), has been gaining increasing attention and recognition among both oncologists and biologists since the seminal work of Nordling, Nowell and Cairns (Cairns, 1975; Nordling, 1953; Nowell, 1976), more than 45 years ago. Most scientists today agree that this evolutionary view has deeply transformed the way we understand the biology of cancer—explaining its origin and the recrudescence of cancer cells as well as elucidating reasons for therapy failures. Following the theoretical development of a new interdisciplinary field that combines expertise from mathematicians, data scientists and biostatisticians, geneticists, evolutionary biologists, ecologists, physicists and oncologists, we are now at a pivotal point where empirical data and evidence are accumulating and guiding future directions of the discipline (Ujvari, Roche, & Thomas, 2017). We believe that the time has arrived to take stock of current advancements, and to inform the course of future research. Cancer is a disease that impacts every country worldwide (18.1 million new cases and 9.6 million death in 2018; Bray et al., 2018) and these oncogenic processes are an inevitable phenomenon of metazoan life. Identifying the key questions in the ecology and evolution of cancer will provide a cornerstone in cancer and evolutionary research for the coming years. This will provide the basis for the development of efficient strategies to either prevent cancer evolution or to improve treatment of even advanced cancers.

A recently published viewpoint article presents a valuable roadmap for the next decade in cancer research (Bernards et al., 2020). However, this roadmap, based on the opinion of 10 researchers does not mention how the ecological and evolutionary theory, principles and approaches have already provided major and novel insights into our understanding of several cancer-related topics, nor provides future avenues of research studying cancer with an evolutionary biology approach. Below we first summarize the main cancer-related areas that benefited from applying ecological and evolutionary thinking. Then, we identified and highlight key questions, organized around nine major themes based on the systematic classification and ranking of the feedback obtained from the 33 scientists that contributed to this study (see Methods).

(i) Cancer as a complex eco-evolutionary process

Neoplasia has been detected in most multicellular groups, suggesting that its evolutionary roots can be traced back to the evolution of multicellularity (Ackermann, 2015). In fact, cancer is often seen as a by-product of multicellularity; specifically, a breakdown of the mechanisms that evolved to ensure the functionality of the newly emerged multicellular individual by promoting cooperation among constituent cells (Aktipis et al., 2015). In this framework, cancer cells are selfish/cheater cells whose success is dependent on the failure of the multicellular organisms to suppress, detect and police them (Aktipis et al., 2015; Aktipis, 2020). Differences in the propensity to develop cancer among species can thus be understood not only as the result of differences in mutation hazard (intrinsic or extrinsic) but also of differences in the ability to prevent and deal with such selfish mutants (i.e., differences in tumour suppression mechanisms). Following the acknowledgement that oncogenic processes are inevitable phenomena in all metazoans since the dawn of multicellularity, the field of comparative oncology – the study of oncology in non-human organisms –, has brought relevant insights into how biological, genetic, and ecological factors drive individual and species variations in cancer diversity, incidence, therapy resistance and lethality. As such, it opens the opportunity to develop a universal theory of cancer biology that promises to revolutionise conventional preclinical models and cancer treatment strategies (Albuquerque, Drummond do Val, Doherty, & de Magalhães, 2018; Somarelli et al., 2020).

(ii) Understanding cancer's evolutionary history

Each of the nearly 10 million people dying from cancer every year developed that lethal cancer *de novo* (Bray et al., 2018; Pienta, Hammarlund, Axelrod, Amend, & Brown, 2020; Siegel, Miller, & Jemal, 2018). Over the last 50 years, a series of mutually non-exclusive, but concurrent theories have been put forward to explain the initiation and progression of cancer. (i) The classic model of stepwise carcinogenesis, first proposed by Nordling (Nordling, 1953) in 1953 and then by Nowell (1976b) in 1976, posits that a transformed cell gains unlimited proliferative capacity and uncontrolled cell growth via subsequent accumulation of random mutations. Once a heterogeneous cell subpopulation is initiated within the tissue environment, natural selection favours cancer cells harbouring mutations that confer higher fitness, making these cell clones the most prominent in the population. The recurring cycles of clonal sweeps leads to cancer growth, progression and dispersal (i.e. metastasis). (ii) Similar to the classic model, the hierarchical model (Costa, Le

Blanc, & Brodin, 2006; Wicha, Liu, & Dontu, 2006) also traces tumour origins to single mutated cells with unlimited proliferative potential, but assumes that the development of the tumour results from the clonal evolution of cells with stem cell properties (Lapidot et al., 1994; Sell, 1993; Tan, Park, Ailles, & Weissman, 2006; Visvader & Lindeman, 2008). Independent of the type of cancer progenitor cells (i.e. somatic cells or cancer stem cells), both theories portray cancer progression as the accumulation of genetic modifications (mutations and epigenetic alterations) and expansion of clones with higher fitness.

While the early models proposed gradual accumulation of genomic alterations to acquire the selective advantages by the malignant cells (Fearon & Vogelstein, 1990), later, karyotype based studies suggested a stochastic cancer evolution model, with cancer cell populations alternating between punctuated (rapid, stochastic karyotype changes) and sequential phases (subsequent clonal expansion of cancer cells) (Yates & Campbell, 2012).

The study of metastasis has also benefited from eco-evolutionary thinking. The movement of malignant cells from the primary tumour to a secondary site in the host's body is likely in response to the selective pressure within the tumour microenvironment, including resource scarcity, increased risk of death, and overcrowding (Aktipis, Maley, & Pepper, 2012; Chen, Sprouffske, Huang, & Maley, 2011). While being highly risky, this migration significantly increases the fitness of malignant cells, which allows scientists to draw parallels with the way animals migrate and disperse to increase their fitness (Aktipis et al., 2012; Chen et al., 2011; Tissot et al., 2019).

In 1889, Steven Paget proposed the "Seed and Soil" hypothesis, introducing the concept that a receptive microenvironment was required for malignant cells to engraft distant tissues and form metastases (Paget, 1889). It is now well established that the processes of clonal cell expansion, diversification and selection that characterizes malignant tumour evolution occurs within the tissue ecosystem and microenvironment, and includes the selective pressure generated by treatment which contribute for the selection of resistant variants (Chen & Pienta, 2011). Cancer cells themselves alter their microenvironment to their own benefit, by promoting angiogenesis, changing the functions of stromal cells, inducing neural damage, neutralizing immune cells, and promoting an immunosuppressive environment (Costa et al., 2018).

(iii) Applying eco-evolutionary principles to manage and treat cancer

Theodosius Dobzhansky famously stated that "nothing in biology makes sense except in the light of evolution" (Dobzhansky, 1973). The emergence of cancerous cells can be seen as a speciation event, in which a new parasitic species emerges, initiates a clade, and consumes resources from the host, impairing the host's health and decreasing its fitness (Capp & Thomas, 2020; Duesberg, Mandrioli, McCormack, & Nicholson, 2011). When a cancer emerges, its progression is then governed through Darwinian selection (referred as somatic evolution) that is separate from the host (the unit of natural selection). In addition, a tumour can be considered as being a whole ecosystem in which cells adapt and evolve to exploit the resources of the environment or to develop resistance to drug treatment (Aktipis & Nesse, 2013; Gatenby & Brown, 2018; Nowell, 1976). It is therefore of key importance to understand the coevolutionary dynamics of cancer functioning to design efficient treatments and improve the outcome of patients. Such understanding may be enhanced by extending concepts (e.g. commensalism, parasitism, predation, ecological niche, selective pressure) or tools such as population dynamics or game theory models widely used in ecology (Archetti & Pienta, 2019; Dhawan, Graham, & Fletcher, 2016; Maley et al., 2017) to treatment approaches and strategies. Adaptive therapy, in which cancer is treated by alternating different drugs to avoid selection for resistant cancer cells is a primary example of the successful application of the theory of evolution in cancer treatment (Gatenby, Silva, Gillies, & Frieden, 2009).

(iv) A general view on the interaction between species evolution and cancer incidence.

Oncogenic processes, and the resulting selection of costly host defences yielding to trade-offs, have been a major force shaping ecological and evolutionary processes in the animal kingdom (Aktipis & Nesse, 2013; Thomas et al., 2017). This especially applies to transmissible cancers, which can threaten the survival of species and raise the question of the extent to which they can be considered to be a separate species from their hosts (Russell et al., 2018). Just as with other animals, the evolution of humans was likely shaped by cancer (Boutry et al., 2020; Kang & Michalak, 2014; Thomas, Giraudeau, Renaud, et al., 2019). The environments in which humans now live and the associated life-style changes have undergone dramatic alterations since prehistoric times (Greaves & Aktipis, 2016). Humans have been living to older ages (Gurven & Kaplan, 2007) and incidences of cancer have therefore also increased (Nesse, 2005). Since most cases of cancers exert their negative effect on survival in the post-reproductive stage, the effect of fitness is often minimal so that natural selection will be rather ineffective at decreasing cancer's

negative impact. Combining the knowledge of comparative oncology with the evolutionary ecology principles of multicellular organisms and ecosystem functioning will have implications for not only cancer treatment but also for conservation biology given our changing, often increasingly polluted, world (Dujon, Ujvari, & Thomas, 2020; Hamede et al., 2020). Thus, the interdisciplinary field of research, *Ecology, Evolution, and Cancer*, is not only transforming our understanding of cancer and the strategies to prevent and to cure it, but it also sheds light on the major influence of oncogenic processes on the interactions between biotic and abiotic components of ecosystems.

Methods

We adapted the protocol previously used to identify 100 fundamental questions in ecology (Sutherland et al., 2013). We initially identified and selected established leading experts in the field based on their publication records and the extent of their work in the study of ecology and evolution of cancer, and contacted them by email. In addition, the participants were allowed to suggest additional experts who were also selected based on the same criteria. Each participant was invited to provide a list of the five most fundamental questions of the respective discipline, ranked by decreasing importance. Each participant also provided a short highlight of up to 150 words, and relevant references, detailing why each question is of key importance for the field. All questions from the participants were then compiled by three independent researchers and similar responses were processed into a single question. Then, the most common questions from this list were identified and reduced to a total of 84 which were grouped into nine major themes (Figure 1). The nine major themes were first defined by the three researchers that compiled the responses to the questions and are presented in order of increasing spatial scales, ranging from the size of a cell up to whole ecosystems. The nine themes were then sent to all authors to be validated. In addition, a small literature review was also created for each of the nine themes based on the expert summaries provided by the respondents. The full list of questions is provided as supplementary information.

Results

Major theme 1: Cancer initiation and progression

The recent comprehensive genomic characterization of tumours by the Pan-Cancer Analysis of Whole Genomes (PCAWG) Consortium, and a great example of efficient scientific

collaboration, gave insights into some of the underlying mechanisms driving cancer initiation and progression (Campbell et al., 2020; Cieslik & Chinnaiyan, 2020), and potentially provides support for the “punctuated and stepwise evolution” theory. Briefly, PCAWG demonstrated chromothripsis (when clustered structural variants arise in a single catastrophic event) to frequently be an early event in tumour evolution (see Campbell et al., 2020 for porportion details for a range cancer type), and highlighted the importance of driver mutations, both in coding and non-coding regions (Campbell et al., 2020; Li et al., 2017; Rheinbay et al., 2020). By applying molecular clocks to classify clonal and subclonal mutations, Gerstung et al. (2020) found that highly recurrent driver mutations and copy-number gains in particular tumour types tend to occur the earliest in a given cancer type (Li et al., 2017), and they also tend to precede diagnosis by many years, if not decades. PCAWG also identified characteristic genomic aberrations, called signatures, arising from defective DNA-repair mechanisms or exposure to environmental mutagens (Alexandrov et al., 2020; Gerstung et al., 2020).

These recent large-scale genome and transcriptome studies of tumour genomes clearly show that cancer initiation is not a step-by-step process simply driven by the sequential accumulation of mutations but, rather a dynamic evolutionary process that depends on microenvironmental and complex genomic and epigenetic landscapes. As proposed by Gatenby *et al* (2020), cells in multicellular organisms are involved in the cooperative functioning of the organism and the host is the unit of natural selection. Once mutations accumulate, cancer cells are able to abrogate control by local tissue constraints and become free from host constraints, and their newly acquired individual fitness is determined by the Darwinian interactions of their phenotype with critical properties of their local environment. Mutations previously accumulated over the lifetime of the host serve as their genetic heritage in their malignant trajectory and allow for somatic selection to favour the most adapted cell lines (e.g. to their local microenvironment).

Dynamic epistatic and pleiotropic processes further increase the enormous variation in cancer risk per (stem) cell division, both between tissues and between species (Caulin & Maley, 2011; Noble, Kaltz, & Hochberg, 2015). Ultimately, cancer cells form tumours comprising different specialised cell populations (Aktipis et al., 2015); however, many cancer cells lose their original phenotype and acquire new functions. Apart from the diversity of tumour cell phenotypes (functions), tumours contain a plethora of non-neoplastic cells which also contribute to division of labour (Barcellos-Hoff, Lyden, & Wang, 2013). Overall, the fitness of cancer cell lineages in a

tumour is seen as a collective rather than an individual achievement with an ability to evolve resistance to a number of known therapies (Capp, 2019; Lichtenstein, 2019).

As cancer cells are fast proliferating cheater cells that take advantage of the benefits of multicellular tissue (e.g. blood flow) without performing their original differentiated function for the host, cancer suppression systems (including the immune system) are sometimes seen as cheater detection systems. Those systems prevent the emergence or limit the proliferation of cheater cells, for example by causing apoptotic response to DNA damage or inappropriate proliferation, the sequestration of rare stem cells or immune surveillance (Aktipis et al., 2015). By applying cooperation (game) theory to cancer biology (Archetti & Pienta, 2019), we can gain more leverage on questions about how cancer suppression systems work to prevent cancer initiation and progression (Aktipis et al., 2015) and how we can better support our innate cellular cheater detection systems to prevent cancer in the first place (Aktipis, 2020). Tumours are often detected years/decades after their initiation (see above) and overcoming this challenge will require improved understanding of conditions that are favourable to cancer initiation at the nascent stages of cheater-cell emergence. Address the questions raised in this publication could strongly help to prevent cancer development. For example, the obtained insight could be used to develop treatments to reduce cancer initiation for people exposed to risk factors they cannot avoid.

Questions:

1. What is the cell of origin in cancers?
2. Can normal somatic cells evolve into cancer? Do somatic cells accumulate genetic mutations that would facilitate their adaptation to their local environment without crossing the threshold of becoming malignant?
3. How can mutant clones expand in normal tissues?
4. How can early cancer driving mutations be not eliminated from the host's genome when tumours start to evolve?
5. Which genetic aberrations acquired in subclones during cancer progression confer a fitness advantage?
6. How does division of labour drive tumour evolution?
7. How do epistatic interactions shape cancer development?
8. Is the inclusion of an ecological perspective required to understand initiation and progression of cancers?

9. Why do some organs develop on average more cancers than others?
10. Which mechanisms explain variation in cancer risk, relative to lifetime number of stem cell divisions?
11. Do particular life periods exist in which humans and animals are especially vulnerable to cancer initiation and why?
12. What is the core eco-evolutionary program that manifests independently in cancer patients leading to death?
13. Can we perform an extensive evaluation of intrinsic factors involved in clonal cancer evolution? Can we gain a better understanding of the clonal evolution of malignant cells by an applying systems biology approach to understand the interactions between intrinsic factors?
14. How does host phenotypic plasticity (e.g. life-history trait adjustments, compensatory responses) in response to oncogenic processes affects the fitness and evolution of cancer cells?
15. How our understanding of oncogenesis and cancer progression can be improved by applying evolutionary and developmental biology paradigms to cancer evolution?
16. What is the role of inter and intra-clonal competition or cooperation in cancer initiation?
17. How can we integrate different sources of phenotypic variability towards inclusive inheritance in initiation of cancer and somatic evolution?
18. Although specific cellular traits/markers distinguish benign from malignant tumours, what evolutionary processes determine the specific trajectories resulting in the two type of tumours?

Major theme 2: Cancer metastasis

Metastasis is the process involving the detachment of malignant cells from the primary tumour site, their dispersal within the body and their colonization of secondary sites. Cancer metastasis accounts for the overwhelming majority of cancer-related deaths (>90%), and if cancer cells did not metastasize, the majority of all cancers could be cured by primary therapy (the first treatment given for a disease, for example surgery) (Chaffer & Weinberg, 2011). Despite arising independently in each patient, cancer progression often follows a similar eco-evolutionary path, eventually manifesting as incurable lethal disease. Such convergent evolution across hundreds of thousands of metastatic cancer patients each year necessitates an eco-evolutionary explanation beyond the typically cited acquisition of stochastic mutations giving rise to tumour cell

heterogeneity. The movement of malignant cells from the primary tumour is considered to be a stochastic event (Chaffer & Weinberg, 2011; De Groot, Roy, Brown, Pienta, & Amend, 2017; Fidler, 2003; Pienta, Robertson, Coffey, & Taichman, 2013), with shedding of billions of cancer cells required to successfully establish new tumour(s) at a distant tumour site, as the majority of circulating cancer cells perishes, and only a very small minority of metastatic cells ultimately form a clinically apparent tumour (De Groot et al., 2017; Tissot et al., 2019). Using the theoretical and experimental insights obtained by ecologists and evolutionary biologists who have been working on dispersal and migration in plants and wildlife species, provides the great opportunity to improve our understanding of the complex metastatic process (for example by drawing a parallel with species relying on a stochastic environment to disperse eggs, larvae and propagules)(Tissot et al., 2019). Deciphering the evolutionary principles driving early dissemination of oncogenic cells might help to develop strategies to prevent colonization of secondary sites thereby minimizing metastases.

Questions:

19. Why do malignant cells metastasize since only a small fraction of cancer cells survives the metastatic cascade, and can we apply eco-evolutionary principles to identify the conditions and factors that inaugurate the transitioning of a somatic cell to a cancer cell with affinity for dispersal?
20. What are the ecological characteristics of the tumour that induce dispersal from the primary tumour?
21. What is the role of the high tumour genetic heterogeneity during metastases formation?
22. What is a useful model to analyse the eco-evolutionary dynamics of early metastatic development?
23. How can we use ecological principles such as those in biological control to suppress the initiation of the metastatic process?

Major theme 3: Tumour and microenvironment

The microenvironment of cancer cells is their ecology, and so concepts and tools from ecology are likely to be useful for the study of the tumour microenvironment. Coupling appropriate evolutionary game and ecological dynamics could potentially identify the absolute minimum resources cancer cells (and their population) need to survive, thus offering a novel avenue for therapies. Cancer cells alter their microenvironment, and recent data have substantiated the view

that changes/evolution of the microenvironment are mechanistically linked to drug resistance (Hirata et al., 2015; Woolston et al., 2019). Furthermore, inflammation associated with changes during aging promote selection for cells with adaptive oncogenic phenotypes (Barcellos-Hoff et al., 2013; Henry et al., 2015; Laconi, Marongiu, & DeGregori, 2020). In addition, a number of experiments have highlighted the ability of a healthy microenvironment to repress oncogenic transformation through various mechanisms such as immune-surveillance and maintenance of tissue structure via the extra-cellular matrix and healthy tissue (stroma) surrounding the tumour (Strobl et al., 2020).

However, no consensus has so far been drawn on how to define and spatially delineate the tumour environment that extends from the tumour to the whole organism, including associated microorganisms and toxic exposures (Laplane, Duluc, Larmonier, Pradeu, & Bikfalvi, 2018). Another conundrum that also remains, is whether alterations of the microenvironment observed in cancer are secondary to cancer development, as in the example of the mutation of the JAK2 gene which induces alterations of the bone marrow environment (Arranz et al., 2014), or whether microenvironmental changes occur first (for example due to chronic inflammatory conditions) and are sufficient to initiate cancer development. It is also unclear how the tumour microenvironment in metastases relates to that in the primary tumour and whether changes in the tumour microenvironment are triggered by genetic or epigenetic events in the cancer cells (Marks, Olson, & Fernandez-Zapico, 2016; Taddei, Giannoni, Comito, & Chiarugi, 2013). Therefore, the use of the eco-evolutionary framework and the clear identification of the selective pressures in the tumour microenvironment will be of key importance to understand malignant cell development, dispersal and ability to evolve resistance to commonly used therapies.

Questions:

24. How does the microenvironment drive tumour progression?
25. What are the interactions between the tumour and its different environments?
26. How does aging alter tissue microenvironments thereby selecting oncogenic cells?
27. How and when do cancer cells adopt different “foraging strategies”?
28. To which extent is tumour heterogeneity a cause or a consequence of oncogenesis?
29. What are the minimal essential resources necessary for cancer cell survival and can targeting them offers new therapeutic opportunities?

30. Given the diversity of the biological interactions inside neoplasms, to what extent does negative selection may operate during tumour evolution?
31. How to measure and quantify the reciprocal ecological and physiological feedbacks between host and tumours and their association with coping strategies?

Major theme 4: Infectious causes of cancer

It is well established that a significant proportion of human cancers, currently estimated to be around 20%, have an infectious causation (Dheilly, Ewald, Brindley, Fichorova, & Thomas, 2019; Ewald & Swain Ewald, 2014; zur Hausen, 2008). Infectious agents are known to abrogate barriers to cancer such as cell-cycle arrest, apoptosis, telomerase regulation for non-stem cells, cell adhesion for metastatic cancers and asymmetric division for stem cell cancers that block oncogenesis when they are in place (Ewald & Swain Ewald, 2014). In addition, infectious agents also disrupt processes that retard but do not block oncogenesis, such as restrictions of resources, vulnerability to immunological defences and regulation of cell division rates (Ewald & Swain Ewald, 2014, 2019). As a consequence, infectious agents can promote tumour formation and malignancy and cause the death of the host (Ewald & Swain Ewald, 2019; Plummer et al., 2016). It is likely that the proportion of cancers with infectious causations is currently being underestimated. For example, viruses can cause tumours in which only a low proportion of cells are infected (1% of tumour cells are Epstein Barr virus positive) (Ewald & Swain Ewald, 2019). If a criterion based on a low viral load is used to rule out an infectious cause, it is therefore possible that the number of cancers with underlying infectious agents is being underestimated due to our limited understanding of how symbionts drive oncogenesis (Dheilly et al., 2019; Jacqueline et al., 2017). Another component that has not yet been integrated is the influence of nonparasitic symbionts on vulnerability to, and protection from oncogenesis. If commensalism is considered to be a dividing line between mutualism and parasitism on the mutualism/parasitism continuum, this synthesis will involve an understanding of how mutualists and ambisymbionts (i.e., symbionts that can be parasitic or mutualistic depending on circumstance) may protect against oncogenic parasites, generate protective compounds, and improve anti-cancer immune functions. The use of an eco-evolutionary framework is therefore required for understanding the joint contributions of parasites, mutations, environmental hazards, and genetic vulnerabilities on cancer initiation and progression but also the influence of nonparasitic symbionts on vulnerability to, and protection from oncogenesis (Dheilly et al., 2019).

Questions:

32. How many cancers have an infectious causation?
33. What are the interactive effects of symbionts (parasites, commensals, and mutualists) as essential and exacerbating causes of cancer?
34. What are the ecological and environmental drivers affecting the emergence of infectious cancers?
35. What is the extent by which infectious agents can drive oncogenesis even if the cells infected by the agents represent only a small portion of the tumour cells?
36. What can be learned from the eco-evolutionary approaches used to prevent and treat infectious diseases?

Major theme 5: Cancer and the immune system

Intracellular infections have contributed to the evolution of multiple immune checkpoints to cope with potential threats without self-destruction. In 1893, Coley linked infection and cancer remission, and in 1970, Burnet proposed the important role of the immune system in policing cancer in his immunosurveillance hypothesis. Since these early works, the role of the immune system in cancer treatment has been demonstrated by the recent success of applying immunotherapy, particularly via using checkpoint inhibitors (Pardoll, 2012). For example, while resistance to proto-oncogene B-Raf (BRAF) inhibitors usually evolves in melanomas after only a few months of treatment, immunotherapy with checkpoint-inhibitors, such as nivolumab and ipilimumab, is able to slow down the growth of these tumours, to induce durable immune responses and prolong survival (Larkin et al., 2019). In addition, mismatch repair deficient tumours (e.g. gastro-oesophageal adenocarcinomas) are highly sensitive tumours to immunotherapy despite their extreme levels of genetic heterogeneity (von Loga et al., 2020). However, ambiguity remains on the role of immune system in cancer control. For example, the more recently developed immunoediting hypothesis, which postulates that through three stages (elimination, equilibrium and escape) the immune system iteratively selects for tumour cell variants with increasing capacities to survive and escape immune responses is more pessimistic in assuming that tumour evolution breaks down initial immune system control (Dunn, Bruce, Ikeda, Old, & Schreiber, 2002). Furthermore, only a subset of patients responds to immune checkpoint blockade in melanoma and lung cancers, and the critical features that determine response remain unclear (Koyama et al., 2016; Zaretsky et al., 2016). Previous studies have suggested that

neoantigens deriving from somatic alterations (Rizvi et al., 2015), and particular those that are clonal in origin (Mcgranahan et al., 2016), may be principal targets for immune cells, such as CD8⁺ T-cells. However, as every tumours present neoantigens that are unique to the cancer but also to the individual, developing broad spectrum and efficient immunotherapies remains a challenge. For example, compared with low heterogeneity tumours that present high clonal neoantigen burden, tumours with higher-neoantigen heterogeneity may have a lower antigen dosage. This will further hinder treatment strategies as T cells reactive to specific subclonal neoantigens may be able to target only some, but not all cells in a tumour; moreover identifying T cells reactive to very specific subclonal neoantigens can be a challenge (Rizvi et al., 2015). We also lack the full understanding of the temporal variation of immune responses to malignant cell development and progression throughout the life of an organism (as immune response to tumours is often measured only after cancer diagnoses, which tend to be made late during tumour development). More generally, we are still missing critical comparative analyses of immunosuppression across the Tree of Life. Overall, how the immune system actively sculpts tumour development, and, reciprocally, how a patient's immune system is influenced by cancer evolution still remains unclear (Rosenthal et al., 2019). Also, from an evolutionary perspective, we cannot exclude the possibility that natural selection has adaptively optimized our immune system for only partially eradicate malignant cells (Thomas et al., 2018). Indeed, with the same logic than the one used in adaptive therapy (Gatenby et al., 2009), a restrained natural immune response would forestall immune-resistant cancer cells and produce long-term durable control of the cancer population.

Questions:

37. What are the roles of immunological checkpoints and tolerance in oncogenesis?
38. What are the key dynamics in the interactions of cancer cells and the host immune system?
39. What is the role of the immune system in shaping mutational landscapes and somatic evolutionary trajectories that lead to cancer?
40. How can we best harness a patient's immune system to tackle cancer evolution?
41. Why can the immunotherapy (e.g. immune checkpoint inhibitors) seemingly cure even heterogeneous and rapidly evolving tumours against which other drug therapies rapidly fail due to resistance development and how we use these insights to design conventional therapies that are as effective?

42. Can we develop vaccines against early metastatic cells?
43. Does immune policing increase in large, long-lived animals?

Major theme 6: Using eco-evolutionary principles to improve existing cancer prevention and treatments

Cancers evolve in response to the selective pressures of our interventions. This implies that we will need to use principles from evolution (and ecology) to manage the ever-evolving target of a cancer. A solid tumour is not simply a mass of cancer cells but is occupied by many interacting cell types (Barcellos-Hoff et al., 2013). Cancer cells are ecosystem engineers, altering the ecosystem of the invaded healthy organ and able to evolve resistance to conventional therapies and develop into a hyperprogressive disease with consequences that lead to the death of the patient and of the cancer (Hansen, Woods, & Read, 2017; Sabio & Chan, 2019). Several factors such as population size, mutation mechanisms and rates, but also the strength of selection pressure are proposed to influence how rapidly a cancer cell population evolves (Lipinski et al., 2016; Salgia & Kulkarni, 2018). In the last ten years, single-cell analyses have also provided key evidence for the importance of non-genetic heterogeneity in cancer evolution and drug resistance (Navin et al., 2011). Especially, phenotypic plasticity produced by gene expression variability has been associated with important phenomena such as persister cells (Ramirez et al., 2016), apoptosis (Spencer, Gaudet, Albeck, Burke, & Sorger, 2009), stemness (Patel et al., 2014) or metastasis (Nguyen, Yoshida, Goodarzi, & Tavazoie, 2016). At the same time, next-generation sequencing and cancer genome programs revealed the degree of genetic inter- and intratumoral heterogeneity and fostered our understanding tumour evolution at the genetic level (Burrell, McGranahan, Bartek, & Swanton, 2013), see above. In order to design effective cancer therapies, we need to know the proportions of subpopulations of cancer cells differing in their resistance mechanisms. For example, there are three cell types in metastatic castrate-resistant prostate cancer populations: cells dependent on testosterone, cells that are able to produce testosterone, and cells independent of testosterone (Zhang, Cunningham, Brown, & Gatenby, 2017). For other cancer types, no such clear cancer cell subtypes have yet been identified, and it may be that each cell has a potential for resistance as a continuous and evolving trait instead. While we may be able to estimate the approximate tumour composition from relevant biomarkers combined with volumetric information (Alix-Panabières & Pantel, 2014; Pantel & Alix-Panabières, 2019; Staňková, 2019), this may be not precise enough in some cancers to guide therapies. For metastatic diseases, biopsies cannot be

sampled frequently enough and may not give us relevant information for all tumour sites. The way forward may be liquid biopsies (e.g. using circulating tumour cells and cell-free DNA; Crowley, Di Nicolantonio, Loupakis, & Bardelli, 2013). However, even then we will probably get averaged information on cell types within the patient's body and not on the state of cancer cells within each of the tumour sites. This will be of concern if there is a high diversity among these different sites. In the coming years, the main challenge will be to integrate these various types of heterogeneity in a global picture of cancer evolution and to consider the respective influence of genetic or/and non-genetic heterogeneity in the different steps of the oncogenesis process. This is a key step in designing efficient therapies and reducing the likelihood that a tumour will evolve resistance to drug treatments. Its importance is evidenced by the tendency for different patients to show dramatically different responses to the same treatment (Sun & Yu, 2015). This integrated picture should allow researchers to identify when and why treatment resistance can be reversed, allowing certain drugs to be reused. The Pan-Cancer Analysis of Whole Genomes (PCAWG) Consortium revealed an unprecedented scale of cancer complexity, and thus highlighted the gargantuan obstacles ahead in cancer treatment (Campbell et al., 2020).

Another challenge will be to reassess the language and metaphors we use for cancer, these denominations also influence the way we treat cancer and how we care for patient. The war metaphor, for example, positions us in opposition to cancer in a way that can lead to ineffective prevention measures (Hauser & Schwarz, 2015), and possibly bias us towards overly aggressive treatments (Aktipis, Carlo, & Steven, 2011). Because cancer is an evolving population that can respond to our treatments, and an evolutionary foe we have lived with since the origins of multicellularity, we need to find appropriate metaphors that take into account those facts and help us think about effective ways of approaching cancer (Aktipis, 2020).

Questions:

44. Which ecological and evolutionary principles can be applied to slow down somatic evolution and prevent or slow down cancer progression?
45. When is it best to aim for tumour elimination and when for containment?
46. Can we influence the ability of cancers to evolve in order to delay, reduce or stop acquisition of drug resistance?
47. How do genetic and non-genetic heterogeneities impact cancer evolution and drug resistance?

48. Can evolution of resistance be reversed?
49. How can different mechanisms of resistance influence treatment prospects?
50. What is the best treatment choice based on the speed of evolution of resistance in cancer cells?
51. How can we estimate accurately the eco-evolutionary state, resistance level and tumours heterogeneity in vivo?
52. How can we select a treatment that addresses all heterogeneous tumour sites within one patient?
53. What is the contribution of cellular plasticity (as opposed to mutational change) to cancer adaptation and how central is phenotypic plasticity in cancer and drug resistance during tumour progression and drug treatment?
54. How can we exploit cooperative ecosystem engineering to expose unique and targetable vulnerabilities of the tumour ecosystem?
55. To what extent comparative oncology can help to identify novel solutions for cancer treatments?
56. Can we effectively prevent cancer mortality by intervening with the proximal causes of cancer death (e.g., cachexia, cytokine storms, etc.)?
57. How exactly do different cancer cells compete with each other, and can this mechanism of competition be enhanced by therapy (e.g. adaptive therapy)?
58. What proportion of cancer is preventable by lifestyle modifications and how can we aid in the social change to implement these interventions?
59. How is the trait of evolvability selected for in the tumour ecosystem and how does it change our understanding of cancer cell evolution?

Major theme 7: Conceptual and mathematical models of cancer development and outcomes

Mathematical modelling of cancer has been expanding in the field of cancer ecology and evolution as a potentially valuable tool to complement experimental research (Archetti & Pienta, 2019; Dhawan et al., 2016; Maley et al., 2017). Indeed, with the vast quantities of information that are currently generated, and with a vast number of conditions and hypotheses to be tested, including computational tools for such work can be indispensable. Mathematical modelling involves formalizing assumptions about biological processes and describing them in terms of either equations (classical mathematical modelling that calculates solutions to these equations subject to

specific parameter values and initial conditions), or rules (agent-based modelling/simulations, analysed as in silico experiments with elements of stochasticity) (Altrock, Liu, & Michor, 2015; Anderson & Quaranta, 2008; Beerenwinkel, Schwarz, Gerstung, & Markowetz, 2015; Bellomo, Li, & Maini, 2008). Mathematical models are powerful tools that can help both organize understanding of the biology, test hypotheses and identify gaps in knowledge, since a model will predict what will happen if the underlying assumptions hold (and if they don't match observations, then a gap in knowledge has been identified). Promising avenues include schemes based on evolutionary and ecological indices, such as applying game theory and Lotka-Volterra equations to cancer treatment and other mechanistic models that recapitulate evolutionary dynamics or network models that investigate gene interactions (Archetti & Pienta, 2019; Dhawan et al., 2016; Mair, Moffat, Boone, & Andrews, 2019; Maley et al., 2017). However, it is not yet established whether such models can outperform standard prognostic methods, nor do we know exactly what data types are needed for forecasting. Patients can show dramatically different responses to the same treatment and identifying the correct biomarkers will assist in developing models to understand how individual patients will best respond to different therapies. Those models will then be used to maximize survival chances and minimize the risk of the cancer evolving into a hyperprogressive disease (where the treatment accelerates the progression of the cancer)(Hansen et al., 2017; Sabio & Chan, 2019). Furthermore, we need to remember that models are also as good as the assumptions that went into them, and thus useful models should be created in collaboration with biologists and experimentalists.

Question:

60. Can we forecast a tumour's next evolutionary step?
61. Is the genetic model of carcinogenesis correct and do we need to develop alternative models to improve our ability to forecast tumour evolution?
62. How can game theory be utilized to understand tumorigenesis and potentially guide therapy?
63. Are there measures of the evolution and ecology of tumours that can be used to develop a classification system for tumours, so as to improve prediction, prognosis and management of tumours?

64. To what extent do the widely used model systems in cancer research represent the ecological and evolutionary processes governing tumour emergence and progression and how can comparative oncology be used to find new research directions?
65. How can tumour ecology be used to improve the search for biomarkers and predict patient outcomes?
66. What lessons can we learn from the evolutionary dynamics of species extinction for cancer therapy?

Major theme 8: Species specific strategies for cancer prevention

Cancer is a disease that arose with the evolution of multicellularity and has been a major force shaping ecological and evolutionary processes in wildlife populations (Aktipis & Nesse, 2013; Thomas et al., 2017). Multicellular organisms evolved to resolve conflicts between individual cells and protect the internal organization of the individual by using cancer suppressor systems. In many aspects, tumours can be viewed as new biological entities, with rapidly expanding genetic diversity, that are no longer integrated in the functioning of the host organism, especially in the original local microenvironment (Egeblad, Nakasone, & Werb, 2011). This especially applies to transmissible cancers. While currently rare, there is still a major open question about how common transmissible cancers may have been in the evolution of species (Ujvari, Gatenby, & Thomas, 2016b). It is possible that they were much more common earlier during the evolutionary history of life on earth, and that species simply evolved mechanisms for preventing and suppressing potentially transmissible cancers, explaining the low number of extant transmissible cancers is low (Aktipis, 2020; Ujvari, Gatenby, & Thomas, 2016a). It is also likely that the evolution of humans has been shaped by cancer. Despite an increasing cancer incidence due primarily to lifestyle changes and aging populations, the majority of people live without life threatening cancer their whole life (Bissel & Hines, 2011). While precursor lesions or carcinoma in situ are found in a considerable amount of individuals, it is still poorly understood how resistance mechanisms evolved to constrain expansion of oncogenic cells or tolerance by which the lesion or carcinoma are able to reduce their fitness (Thomas, Giraudeau, Gouzerh, et al., 2019; Thomas, Giraudeau, Renaud, et al., 2019). Genetic endowment seems to determine how the organism copes with harmful extrinsic (e.g. tobacco smoke, UV) and intrinsic (e.g. obesity) factors, how these modulate the host's tissues (inducing local low-grade inflammation or not) and whether the combination of these factors leads to oncogenic events and cancer evolution (Dujon, Ujvari, et al., 2020; Pham-

Danis & DeGregori, 2019; Rozhok & DeGregori, 2015). Thus, survival, selection and expansion of transformed cells apparently depend on the microenvironmental context given by the quality and quantity of damaging factors, duration of exposure and host genetics. Hence, a better understanding of the host genetics conferring resistance and/or tolerance to cancer is urgently needed. Prevention and treatment strategies should aim at maintaining tissue homeostasis to impair selection for oncogenic clones.

Questions:

67. What is the importance of cancer in ecosystem functioning?
68. To what extent should oncogenesis be considered as a speciation process?
69. What is the relevance of tumorigenesis as a selective force in nature and how does it shapes ecological and evolutionary dynamics across species?
70. How have other species evolved to reduce the risk of developing cancer (e.g. naked mole rat, elephants), and can we translate those to human cancer prevention?
71. Which host-related factors are key determinants for conferring tolerance to cancer evolution?
72. What was and is the role of humans in causing cancers in the wild? Do host populations evolve resistance to transmissible cancers, or can cancers evolve to become less pathogenic over time?
73. How do rapid environmental changes such as global warming, increased exposure to novel pathogens and toxins, contribute to species cancer risk?
74. Will the daily exposure to pesticides by humans and wildlife increase drastically the prevalence of cancer within the next decades?
75. How will the evolution of the human species (driven by contemporary aspects such as changes in environment and lifespan) affect the impact of cancer on human populations, and, conversely, how will cancer impact the evolution of human species?
76. What can we learn from people who have lived long cancer free lives, including those exposed to mutagens, to understand what makes them resistant to cancer?
77. How have transmissible and non-transmissible cancers contributed to the evolution of species on the planet?

78. Are transmissible cancers under continued selection for novelty (positive selection) due to genetic conflict with their host or are they under selection for conservation (negative selection), or are they simply selectively neutral?
79. Is somatic evolution driven by mutations or natural selection?

Major theme 9: Obtain insight from wild species

Considering that cancer is present in most metazoan species, comparing how various species have responded to the fitness reducing effect of cancer over the eons of evolution (with the help of comparative oncology and evolutionary ecology), opens the opportunity for this knowledge to be translated to human cancer therapy (Albuquerque et al., 2018). These approaches include deciphering why species under significant environmental stress do not develop cancer (including long-lived humans, as mentioned above). This is a challenging task because cancer is difficult to detect in wildlife species and requires the development of new biological markers and cancer risk factors can be difficult to quantify (Dujon, Ujvari, et al., 2020; Hamede et al., 2020). Apart from multicellular organisms, insights can also be obtained from bacteria and other unicellular organisms even if they do not develop cancer. For example the dynamic field studying the influence of phenotypic heterogeneity on treatment outcomes in cancer has largely been inspired by works on microorganisms that have demonstrated how gene expression variability and the associated cell-to-cell heterogeneity can produce subpopulations with distinct behaviours of non-genetic origin (Ackermann, 2015). In addition, striking similarities have been observed between the appearance of subpopulations tolerant to environmental stress in microbial populations (Blake et al., 2006) and cell responses to therapeutic pressure in cancer cell populations (Shaffer et al., 2017).

Finally, although currently considered to be rare (Ujvari et al., 2016b) but see (Dujon, Bramwell, Roche, Thomas, & Ujvari, 2020), transmissible cancers present as inter-individual metastases (Dujon, Gatenby, et al., 2020), can provide valuable insights in order to curtail human cancer cell progression and dispersal. Although the conditions which allow transmissible cancer lineage emergence and persistence are not fully understood, these intriguing clonal infectious cell lines (that act as cancer causing infectious agents) use similar mechanisms and pathways to avoid immune recognition and elimination, as human cancers. Translating the information about their capacity to overcome challenges in and across hosts (immune recognition, survival in transit etc.) could contribute to novel treatment strategies of metastatic cancers and malignancies with

underlying infectious aetiologies. In addition to human cancer research and treatment, comparative oncology can also significantly contribute to the conservation of species in which cancer is a concern (e.g. Tasmanian devils or sea turtles) (Hamede et al., 2020). Furthermore, transmissible cancers offer excellent examples of how scientists organised themselves into efficient collaborative and multidisciplinary networks to obtain insights on those diseases (Dujon, Bramwell, Raven, et al., 2020)

Questions:

80. How much will the biology of microorganisms inform and guide cancer research?
81. Which are the conditions allowing transmissible cancer lineages to start and spread (and can it happen in humans)?
82. What can we learn from long-lived animals, or animals that are exposed to excess oxidative damage, UV radiation, but rarely develop cancer?
83. What are the predictors (life history, physiology, environment...) of interspecific differences in cancer prevalence and how can comparative oncology help to initiate new lines of research for cancer treatments?
84. How do we identify and develop informative cancer biomarkers for non-human species?

Concluding remarks

By assembling the major challenging questions and placing them into specific scientific context, our objective was first to broaden the portfolio of research directions and methods to stimulate novel approaches and progress at the interface of oncology and ecological and evolutionary sciences. In addition to highlighting what we know, what we don't know, and where we should focus our research and practice, several general conclusions can be drawn from this summary. First, it is clear that the previous traditional separation of scientific disciplines with different perspectives on the same biological problem urgently need to be overcome in order to make headways in our understanding of complex processes, such as the evolutionary ecology of host–tumour interactions. We believe that the responses to many current and future questions about cancer will come as a result of progressive and productive multi-disciplinary collaborations that draw on the insights and the expertise of multiple scientific fields. A few (so far rare) examples of successful collaborations already exist, for example collaboration between mathematicians, ecologists and clinical oncologists spearhead revolutionary cancer treatment strategies that

successfully incorporate evolutionary dynamics into cancer therapy at the Cancer Biology and Evolution Program, Moffitt Cancer Center, Tampa, Florida (Gatenby & Brown, 2020). Similarly, the Cancer and Evolution Laboratory at the Arizona State University is researching fundamental concepts in neoplastic progression and therapeutic resistance (Martinez et al., 2018) and the Cancer Ecology and Evolution international laboratory (between Deakin University in Australia and the Centre de Recherches Écologiques et Évolutives sur le Cancer in France) focuses on understanding the ecological and evolutionary consequences of cancer in ecosystems (Dujon, Ujvari, et al., 2020; Giraudeau, Sepp, Ujvari, Ewald, & Thomas, 2018). Second, despite of major progresses, especially in recent years, the topic of Ecology, Evolution, and Cancer is still in its infancy, and a much larger global research effort is required. We believe that the questions compiled, and the directions outlined in this paper will simulate further discussions, open up avenues for novel prevention and treatment approaches. Although ecological and evolutionary principles have already provided novel insights into several cancer-related topics, by identifying the major themes across the crossroads of evolutionary and cancer biology, we provide a focused guideline for future research.

Glossary:

Neoplasia: new, uncontrolled growth of cells that is not under physiologic control.

Life-history trait: term used in evolutionary ecology sciences to describe a species' or population's reproductive strategies. It concerns parameters like the number, size and sex ratio of offspring, the reproduction timing, age and size at maturity and growth pattern, longevity, aging etc. Combinations of these life history traits create the life history strategies. Life history strategies evolve by natural selection, being an optimization of trade-offs between growth, survival, and reproduction.

Commensalism: a biological interaction in which individuals of one species gain benefits while those of the second species neither benefit nor are harmed.

Eco-evolutionary: the unidirectional effects of ecological changes on evolutionary processes or the unidirectional effects of evolutionary changes on ecological processes.

Parasitism: a biological interaction in which individuals of one species gain benefits while those of the second species are harmed.

Mutualism: a biological interaction in which individuals from each species has a net benefit.

Inclusive fitness: is taking into account not only the reproductive success of an individual or a cancer cell, but also its effects the survival and reproductive success of its kin.

Immune checkpoint inhibitors: a type of immunotherapy drug that blocks immune checkpoints, which are biochemical mechanism that help to keep immune responses from being too strong. Examples of checkpoint proteins found on T cells or cancer cells include PD-1/PD-L1 and CTLA-4/B7-1/B7-2. When these checkpoints are blocked, T cells can kill more cancer cells.

Acknowledgement: This work was supported by the MAVA foundation and the ANR TRANSCAN.

Data availability statement: The data that supports the findings of this study are available in the supplementary material of this article.

References

- Ackermann, M. (2015). A functional perspective on phenotypic heterogeneity in microorganisms. *Nature Reviews Microbiology*, 13(8), 497–508. <https://doi.org/10.1038/nrmicro3491>
- Aktipis, A. C., Boddy, A. M., Jansen, G., Hibner, U., Hochberg, M. E., Maley, C. C., & Wilkinson, G. S. (2015). Cancer across the tree of life: Cooperation and cheating in multicellularity. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1673), 20140219.
- Aktipis, C. A. (2020). *The cheating cell: how evolution helps us understand and treat cancer*. Princeton, New Jersey, USA: Princeton University Press.
- Aktipis, C. A., Carlo, C. M., & Steven, L. N. (2011). Psychological barriers to evolutionary thinking in medicine. *Evolution and Medicine Review*, 231.
- Aktipis, C. Athena, Maley, C. C., & Pepper, J. W. (2012). Dispersal evolution in neoplasms: The role of dysregulated metabolism in the evolution of cell motility. *Cancer Prevention Research*, 5(2), 266–275. <https://doi.org/10.1158/1940-6207.CAPR-11-0004>
- Aktipis, C. Athena, & Nesse, R. M. (2013). Evolutionary foundations for cancer biology. *Evolutionary Applications*, 6(1), 144–159. <https://doi.org/10.1111/eva.12034>
- Albuquerque, T. A. F., Drummond do Val, L., Doherty, A., & de Magalhães, J. P. (2018). From humans to hydra: patterns of cancer across the tree of life. *Biological Reviews*, 93(3), 1715–1734.
- Alexandrov, L. B., Kim, J., Haradhvala, N. J., Huang, M. N., Tian Ng, A. W., Wu, Y., ... Stratton, M. R. (2020). The repertoire of mutational signatures in human cancer. *Nature*, 578(7793), 94–101. <https://doi.org/10.1038/s41586-020-1943-3>
- Alix-Panabières, C., & Pantel, K. (2014). Challenges in circulating tumour cell research. *Nature*

Reviews Cancer, 14, 623–631. <https://doi.org/10.1038/hr.2012.179>

Altrock, P. M., Liu, L. L., & Michor, F. (2015). The mathematics of cancer: Integrating quantitative models. *Nature Reviews Cancer*, 15(12), 730–745. <https://doi.org/10.1038/nrc4029>

Anderson, A. R. A., & Quaranta, V. (2008). Integrative mathematical oncology. *Nature Reviews Cancer*, 8(3), 227–234. <https://doi.org/10.1038/nrc2329>

Archetti, M., & Pienta, K. J. (2019). Cooperation among cancer cells: applying game theory to cancer. *Nature Reviews Cancer*, 19(2), 110–117. <https://doi.org/10.1038/s41568-018-0083-7>

Arranz, L., Sánchez-Aguilera, A., Martín-Pérez, D., Isern, J., Langa, X., Tzankov, A., ... Méndez-Ferrer, S. (2014). Neuropathy of haematopoietic stem cell niche is essential for myeloproliferative neoplasms. *Nature*, 512(1), 78–81. <https://doi.org/10.1038/nature13383>

Barcellos-Hoff, M. H., Lyden, D., & Wang, T. C. (2013). The evolution of the cancer niche during multistage carcinogenesis. *Nature Reviews Cancer*, 13(7), 511–518. <https://doi.org/10.1038/nrc3536>

Beerenwinkel, N., Schwarz, R. F., Gerstung, M., & Markowetz, F. (2015). Cancer evolution: Mathematical models and computational inference. *Systematic Biology*, 64(1), e1–e25. <https://doi.org/10.1093/sysbio/syu081>

Bellomo, N., Li, N. K., & Maini, P. K. (2008). On the foundations of cancer modelling: Selected topics, speculations, and perspectives. *Mathematical Models and Methods in Applied Sciences*, 18(4), 593–646. <https://doi.org/10.1142/S0218202508002796>

Bernards, R., Jaffee, E., Joyce, J. A., Lowe, S. W., Mardis, E. R., Morrison, S. J., ... Zhang, Z. (2020). A roadmap for the next decade in cancer research. *Nature Cancer*, 1(1), 12–17. <https://doi.org/10.1038/s43018-019-0015-9>

Bissel, M. J., & Hines, W. C. (2011). Why don't we get more cancer? A proposed role of the microenvironment in restraining cancer progression. *Nature Medicine*, 17(3), 320–329. <https://doi.org/10.1038/nm.2328>. Why

Blake, W. J., Balázsi, G., Kohanski, M. A., Isaacs, F. J., Murphy, K. F., Kuang, Y., ... Collins, J. J. (2006). Phenotypic Consequences of Promoter-Mediated Transcriptional Noise. *Molecular*

Cell, 24(6), 853–865. <https://doi.org/10.1016/j.molcel.2006.11.003>

Boutry, J., Dujon, A. M., Gerard, A. L., Tissot, S., Macdonald, N., Schultz, A., ... Thomas, F. (2020). Ecological and evolutionary consequences of anticancer adaptations. *IScience*, <https://doi.org/10.1016/j.isci.2020.101716>.

Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394–424. <https://doi.org/10.3322/caac.21492>

Burnet, F. M. (1970). The concept of immunological surveillance. *Immunological Aspects of Neoplasia*, 13, 1–27.

Burrell, R. A., McGranahan, N., Bartek, J., & Swanton, C. (2013). The causes and consequences of genetic heterogeneity in cancer evolution. *Nature*, 501(7467), 338–345. <https://doi.org/10.1038/nature12625>

Cairns, J. (1975). Mutation selection and the natural history of cancer. *Nature*, 255, 197–200.

Campbell, P. J., Getz, G., Korbel, J. O., Stuart, J. M., Jennings, J. L., Stein, L. D., ... Zhang, J. (2020). Pan-cancer analysis of whole genomes. *Nature*, 578(7793), 82–93. <https://doi.org/10.1038/s41586-020-1969-6>

Capp, J. P. (2019). Cancer stem cells: From historical roots to a new perspective. *Journal of Oncology*, 5189232, 1–10. <https://doi.org/10.1155/2019/5189232>

Capp, Jean Pascal, & Thomas, F. (2020). A Similar Speciation Process Relying on Cellular Stochasticity in Microbial and Cancer Cell Populations. *IScience*, 23(9), 101531. <https://doi.org/10.1016/j.isci.2020.101531>

Caulin, A. F., & Maley, C. C. (2011). Peto's paradox: evolution's prescription for cancer prevention. *Trends Ecology Evolution*, 26(4), 175–182. <https://doi.org/10.1016/j.tree.2011.01.002>.Peto

Chaffer, C. L., & Weinberg, R. A. (2011). A perspective on cancer cell metastasis. *Weinberg Source: Science, New Series*, 331(6024), 1559–1564.

Chen, J., Sprouffske, K., Huang, Q., & Maley, C. C. (2011). Solving the puzzle of metastasis: The

evolution of cell migration in neoplasms. *PLoS ONE*, 6(4).

<https://doi.org/10.1371/journal.pone.0017933>

Chen, K. W., & Pienta, K. J. (2011). Modeling invasion of metastasizing cancer cells to bone marrow utilizing ecological principles. *Theoretical Biology and Medical Modelling*, 8(1), 36.

<https://doi.org/10.1186/1742-4682-8-36>

Cieslik, M., & Chinnaiyan, A. M. (2020). Global genomics project unravels cancer's complexity at unprecedented scale. *Nature*, 578(7793), 39–40. <https://doi.org/10.1038/d41586-020-00213-2>

Coley, W. B. (1893). The treatment of malignant tumors by repeated inoculations of erysipelas: with a report of ten original cases. *The American Journal of the Medical Sciences*, 10, 487–511.

Costa, A., Kieffer, Y., Scholer-Dahirel, A., Pelon, F., Bourachot, B., Cardon, M., ... Mehta-Grigoriou, F. (2018). Fibroblast heterogeneity and immunosuppressive environment in human breast cancer. *Cancer Cell*, 33(3), 463–479.

<https://doi.org/10.1016/j.ccell.2018.01.011>

Costa, F. F., Le Blanc, K., & Brodin, B. (2006). Concise Review: Cancer/Testis Antigens, Stem Cells, and Cancer. *Stem Cells*, 25(3), 707–711. <https://doi.org/10.1634/stemcells.2006-0469>

Crowley, E., Di Nicolantonio, F., Loupakis, F., & Bardelli, A. (2013). Liquid biopsy: Monitoring cancer-genetics in the blood. *Nature Reviews Clinical Oncology*, 10(8), 472–484.

<https://doi.org/10.1038/nrclinonc.2013.110>

De Groot, A. E., Roy, S., Brown, J. S., Pienta, K. J., & Amend, S. R. (2017). Revisiting seed and soil: Examining the primary tumor and cancer cell foraging in metastasis. *Molecular Cancer Research*, 15(4), 361–370. <https://doi.org/10.1158/1541-7786.MCR-16-0436>

Dhawan, A., Graham, T. A., & Fletcher, A. G. (2016). A computational modeling approach for deriving biomarkers to predict cancer risk in premalignant disease. *Cancer Prevention Research*, 9(4), 283–295. <https://doi.org/10.1158/1940-6207.CAPR-15-0248>

Dheilly, N. M., Ewald, P. W., Brindley, P. J., Fichorova, R. N., & Thomas, F. (2019). Parasite-microbe-host interactions and cancer risk. *PLoS Pathogens*, 15(8), 1–10.

<https://doi.org/10.1371/journal.ppat.1007912>

Dobzhansky, T. (1973). Nothing in biology makes sense except in the light of evolution. *The American Biology Teacher*, 35(3), 125–129.

Duesberg, P., Mandrioli, D., McCormack, A., & Nicholson, J. M. (2011). Is carcinogenesis a form of speciation? *Cell Cycle*, 10(13), 2100–2114. <https://doi.org/10.4161/cc.10.13.16352>

Dujon, A. M., Bramwell, G., Raven, N., Schofield, G., Hamede, R., Thomas, F., & Ujvari, B. (2020). A global meta-analysis of over 50 years of multidisciplinary and international collaborations on transmissible cancers. *Evolutionary Applications*, 13(7), 1745–1755.

Dujon, A. M., Bramwell, G., Roche, B., Thomas, F., & Ujvari, B. (2020). Transmissible cancers in mammals and bivalves: How many examples are there? *BioEssays*, DOI: 10.1002/bies.202000222.

Dujon, A. M., Gatenby, R. A., Bramwell, G., MacDonald, N., Dorhmann, E., Raven, N., ... Ujvari, B. (2020). Transmissible cancers in an evolutionary perspective. *IScience*, 23(7), 101269.

Dujon, A. M., Ujvari, B., & Thomas, F. (2020). Cancer risk landscapes: a framework to study cancer in ecosystems. *Science of the Total Environment*, <https://doi.org/10.1016/j.scitotenv.2020.142955>.

Dunn, G. P., Bruce, A. T., Ikeda, H., Old, L. J., & Schreiber, R. D. (2002). Cancer Immunoediting: From Surveillance to Escape. *Nature Immunology*, 3(11), 991–998. <https://doi.org/10.1016/B978-0-12-394296-8.00007-5>

Egeblad, M., Nakasone, E., & Werb, Z. (2011). Tumors as organs: Complex tissues that interface with the entire organism. *Developmental Cell*, 18(6), 884–901. <https://doi.org/10.1016/j.devcel.2010.05.012>. Tumors

Ewald, P. W., & Swain Ewald, H. A. (2014). Joint infectious causation of human cancers. *Advances in Parasitology*, 84, 1–26. <https://doi.org/10.1016/B978-0-12-800099-1.00001-6>

Ewald, P. W., & Swain Ewald, H. A. (2019). The scope of viral causation of human cancers: Interpreting virus density from an evolutionary perspective. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 374(1773). <https://doi.org/10.1098/rstb.2018.0304>

Accepted Article
Fearon, E. A., & Vogelstein, B. (1990). A genetic model for colorectal tumorigenesis. *Cell*, 61, 759–767.

Fidler, I. J. (2003). The pathogenesis of cancer metastasis: the “seed and soil” hypothesis revisited. *Nature Cancer Review*, 3(6), 453–458. <https://doi.org/10.1111/j.1937-5956.1995.tb00040.x>

Gatenby, R. A., Avdieiev, S., Tsai, K. Y., & Brown, J. S. (2020). Integrating genetic and non-genetic drivers of somatic evolution during carcinogenesis: the biplane model. *Evolutionary Applications*, doi:10.1111/EVA.12973.

Gatenby, R. A., & Brown, J. S. (2020). Integrating evolutionary dynamics into cancer therapy. *Nature Reviews Clinical Oncology*, 17(11), 675–686. <https://doi.org/10.1038/s41571-020-0411-1>

Gatenby, R., & Brown, J. (2018). The evolution and ecology of resistance in cancer therapy. *Cold Spring Harbor Perspectives in Medicine*, 8(3), 1–13.

Gatenby, Robert A., Silva, A. S., Gillies, R. J., & Frieden, B. R. (2009). Adaptive therapy. *Cancer Research*, 69(11), 4894–4903. <https://doi.org/10.1158/0008-5472.CAN-08-3658>

Gerstung, M., Jolly, C., Leshchiner, I., & Dentro, S. C. (2020). The evolutionary history of 2,658 cancers. *Nature*, 578, 122–128.

Giraudeau, M., Sepp, T., Ujvari, B., Ewald, P. W., & Thomas, F. (2018). Human activities might influence oncogenic processes in wild animal populations. *Nature Ecology and Evolution*, 2(7), 1065–1070.

Greaves, M., & Aktipis, C. A. (2016). Mismatches with Our Ancestral Environments and Cancer Risk. In C. C. Maley & M. Greaves (Eds.), *Frontiers in Cancer Research: Evolutionary Foundations, Revolutionary Directions* (pp. 195–215). Springer New York.

Gurven, M., & Kaplan, H. (2007). Longevity among hunter-gatherers: A cross-cultural examination. *Population and Development Review*, 33(2), 321–365. <https://doi.org/10.1111/j.1728-4457.2007.00171.x>

Hamede, R., Owen, R., Siddle, H., Peck, S., Jones, M., Dujon, A. M., ... Thomas, F. (2020). The ecology and evolution of wildlife cancers: applications for management and conservation. *Evolutionary Applications*, 13(7), 1719–1732.

<https://doi.org/https://doi.org/10.1111/eva.12948>

Hansen, E., Woods, R. J., & Read, A. F. (2017). How to use a chemotherapeutic agent when resistance to it threatens the patient. *PLoS Biology*, 15(2), 1–21.

<https://doi.org/10.1371/journal.pbio.2001110>

Hauser, D. J., & Schwarz, N. (2015). The War on Prevention: Bellicose Cancer Metaphors Hurt (Some) Prevention Intentions. *Personality and Social Psychology Bulletin*, 41(1), 66–77.

<https://doi.org/10.1177/0146167214557006>

Henry, C. J., Casás-Selves, M., Kim, J., Zaberezhnyy, V., Aghili, L., Daniel, A. E., ... DeGregori, J. (2015). Aging-associated inflammation promotes selection for adaptive oncogenic events in B cell progenitors. *Journal of Clinical Investigation*, 125(12), 4666–4680.

<https://doi.org/10.1172/JCI83024>

Hirata, E., Girotti, M. R., Viros, A., Hooper, S., Spencer-Dene, B., Matsuda, M., ... Sahai, E. (2015). Intravital imaging reveals how BRAF inhibition generates drug-tolerant microenvironments with high integrin β 1/FAK Signaling. *Cancer Cell*, 27(4), 574–588.

<https://doi.org/10.1016/j.ccell.2015.03.008>

Jacqueline, C., Tasiemski, A., Sorci, G., Ujvari, B., Maachi, F., Missé, D., ... Roche, B. (2017). Infections and cancer: The “fifty shades of immunity” hypothesis. *BMC Cancer*, 17(1), 1–11.

<https://doi.org/10.1186/s12885-017-3234-4>

Kang, L., & Michalak, P. (2014). The Evolution of Cancer-Related Genes in Hominoids. *Journal of Molecular Evolution*, 80(1), 37–41. <https://doi.org/10.1007/s00239-014-9649-5>

Koyama, S., Akbay, E. A., Li, Y. Y., Herter-Sprie, G. S., Buczkowski, K. A., Richards, W. G., ... Hammerman, P. S. (2016). Adaptive resistance to therapeutic PD-1 blockade is associated with upregulation of alternative immune checkpoints. *Nature Communications*, 7, 1–9.

<https://doi.org/10.1038/ncomms10501>

Laconi, E., Marongiu, F., & DeGregori, J. (2020). Cancer as a disease of old age: changing mutational and microenvironmental landscapes. *British Journal of Cancer*, 122, 943–952.

<https://doi.org/10.1038/s41416-019-0721-1>

Lapidot, T., Sirard, C., Vormoor, J., Murdoch, B., Hoang, T., Caceres-Cortes, J., ... Dick, J. E.

- (1994). A cell initiating human acute myeloid leukaemia after transplantation into SCID mice. *Nature*, 367(6464), 645–648. <https://doi.org/10.1038/367645a0>
- Laplane, L., Duluc, D., Larmonier, N., Pradeu, T., & Bikfalvi, A. (2018). The multiple layers of the tumor environment. *Trends in Cancer*, 4(12), 802–809. <https://doi.org/10.1016/j.trecan.2018.10.002>
- Larkin, J., Chiarion-Sileni, V., Gonzalez, R., Grob, J. J., Rutkowski, P., Lao, C. D., ... Wolchok, J. D. (2019). Five-year survival with combined nivolumab and ipilimumab in advanced melanoma. *New England Journal of Medicine*, 381(16), 1535–1546. <https://doi.org/10.1056/NEJMoa1910836>
- Li, Y., Roberts, N. D., Weischenfeldt, J., Wala, J. A., Shapira, O., Schumacher, S. E., ... Network, and the P. (2017). Patterns of structural variation in human cancer. *BioRxiv*, 578(February 2020), 181339. <https://doi.org/10.1101/181339>
- Lichtenstein, A. V. (2019). Strategies of the war on cancer: to kill or to neutralize? *Frontiers in Oncology*, 9(JAN), 1–5. <https://doi.org/10.3389/fonc.2018.00667>
- Lipinski, K. A., Barber, L. J., Davies, M. N., Ashenden, M., Sottoriva, A., & Gerlinger, M. (2016). Cancer Evolution and the Limits of Predictability in Precision Cancer Medicine. *Trends in Cancer*, 2(1), 49–63. <https://doi.org/10.1016/j.trecan.2015.11.003>
- Mair, B., Moffat, J., Boone, C., & Andrews, B. J. (2019). Genetic interaction networks in cancer cells. *Current Opinion in Genetics and Development*, 54, 64–72. <https://doi.org/10.1016/j.gde.2019.03.002>
- Maley, C. C., Aktipis, A., Graham, T. A., Sottoriva, A., Boddy, A. M., Janiszewska, M., ... Shibata, D. (2017). Classifying the evolutionary and ecological features of neoplasms. *Nature Reviews Cancer*, 17(10), 605–619. <https://doi.org/10.1038/nrc.2017.69>
- Marks, D. L., Olson, R. Lo, & Fernandez-Zapico, M. E. (2016). Epigenetic control of the tumor microenvironment. *Epigenomics*, 8(12), 1671–1687. <https://doi.org/10.2217/epi-2016-0110>
- Martinez, P., Mallo, D., Paulson, T. G., Li, X., Sanchez, C. A., Reid, B. J., ... Maley, C. C. (2018). Evolution of Barrett's esophagus through space and time at single-crypt and whole-biopsy levels. *Nature Communications*, 9(1), 1–12. <https://doi.org/10.1038/s41467-017-02621-x>

- Mcgranahan, N., Furness, A. J. S., Rosenthal, R., Lyngaa, R., Saini, S. K., Jamal-hanjani, M., ... Schilling, B. (2016). Clonal neoantigens elicit T cell immunoreactivity and sensitivity to immune checkpoint blockade. *Science*, 351(6280), 1463–1469. <https://doi.org/10.1126/science.aaf1490>. Clonal
- Navin, N., Kendall, J., Troge, J., Andrews, P., Rodgers, L., McIndoo, J., ... Wigler, M. (2011). Tumour evolution inferred by single-cell sequencing. *Nature*, 472(7341), 90–95. <https://doi.org/10.1038/nature09807>
- Nesse, R. M. (2005). Maladaptation and natural selection. *The Quarterly Review of Biology*, 80(1), 62–71. <https://doi.org/10.1017/CBO9781107415324.004>
- Nguyen, A., Yoshida, M., Goodarzi, H., & Tavazoie, S. F. (2016). Highly variable cancer subpopulations that exhibit enhanced transcriptome variability and metastatic fitness. *Nature Communications*, 7(May), 1–13. <https://doi.org/10.1038/ncomms11246>
- Noble, R., Kaltz, O., & Hochberg, M. E. (2015). Peto's paradox and human cancers. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370, 20150104. <https://doi.org/10.1098/rstb.2015.0104>
- Nordling, C. O. (1953). A new theory on the cancer-inducing mechanism. *British Journal of Cancer*, 7(1), 68–72. <https://doi.org/10.1038/bjc.1953.8>
- Nowell, P. C. (1976). The clonal evolution of tumor cell populations. *Science*, 194(4260), 23–28.
- Nowell, Peter C. (1976). The clonal evolution of tumor cell populations. *Science*, 194(4260), 23–28. <https://doi.org/10.1126/science.959840>
- Paget, S. (1889). The distribution of secondary growths in cancer of the breast. *Lancet*, 133(3421), 571–573.
- Pantel, K., & Alix-Panabières, C. (2019). Liquid biopsy and minimal residual disease — latest advances and implications for cure. *Nature Reviews Clinical Oncology*, 16(7), 409–424. <https://doi.org/10.1038/s41571-019-0187-3>
- Pardoll, D. M. (2012). The blockade of immune checkpoints in cancer immunotherapy. *Nature Cancer Review*, 12(4), 252–264. <https://doi.org/10.1103/PhysRevB.97.115128>
- Patel, A. P., Tirosh, I., Trombetta, J. J., Shalek, A. K., Gillespie, S. M., Wakimoto, H., ...

- Bernstein, B. E. (2014). Single-cell RNA-seq highlights intratumoral heterogeneity in primary glioblastoma. *Science*, 344(6190), 1396–1401. <https://doi.org/10.1038/jid.2014.371>
- Pham-Danis, C., & DeGregori, J. (2019). Studying cancer evolution and therapeutic responses in different organs: The pros and cons of a broad focus. *Cancer Research*, 79(18), 4582–4584. <https://doi.org/10.1158/0008-5472.CAN-19-1303>
- Pienta, K. J., Hammarlund, E. U., Axelrod, R., Amend, S. R., & Brown, J. S. (2020). Convergent evolution, evolving evolvability, and the origins of lethal cancer. *Molecular Cancer Research*, DOI:10.1158/1541-7786.MCR-19-1158.
- Pienta, Kenneth J., Robertson, B. A., Coffey, D. S., & Taichman, R. S. (2013). The cancer diaspora: Metastasis beyond the seed and soil hypothesis. *Clinical Cancer Research*, 19(21), 5849–5855. <https://doi.org/10.1158/1078-0432.CCR-13-2158>
- Plummer, M., de Martel, C., Vignat, J., Ferlay, J., Bray, F., & Franceschi, S. (2016). Global burden of cancers attributable to infections in 2012: a synthetic analysis. *The Lancet Global Health*, 4(9), e609–e616.
- Ramirez, M., Rajaram, S., Steininger, R. J., Osipchuk, D., Roth, M. A., Morinishi, L. S., ... Altschuler, S. J. (2016). Diverse drug-resistance mechanisms can emerge from drug-tolerant cancer persister cells. *Nature Communications*, 7, 1–8. <https://doi.org/10.1038/ncomms10690>
- Rheinbay, E., Nielsen, M. M., Abascal, F., Wala, J. A., Shapira, O., Tiao, G., ... Getz, G. (2020). Analyses of non-coding somatic drivers in 2,658 cancer whole genomes. *Nature*, 578(7793), 102–111. <https://doi.org/10.1038/s41586-020-1965-x>
- Rizvi, N. A., Hellmann, M. D., Snyder, A., Kvistborg, P., Makarov, V., Havel, J. J., ... Sander, C. (2015). Mutational landscape determines sensitivity to PD-1 blockade in non-small cell lung cancer. *Science*, 348(6230), 124–128. <https://doi.org/10.1126/science.aaa1348>
- Rosenthal, R., Cadieux, E. L., Salgado, R., Bakir, M. Al, Moore, D. A., Hiley, C. T., ... Kidd, A. (2019). Neoantigen-directed immune escape in lung cancer evolution. *Nature*, 567(7749), 479–485. <https://doi.org/10.1038/s41586-019-1032-7>
- Rozhok, A. I., & DeGregori, J. (2015). Toward an evolutionary model of cancer: Considering the mechanisms that govern the fate of somatic mutations. *Proceedings of the National Academy*

of Sciences of the United States of America, 112(29), 8914–8921.

<https://doi.org/10.1073/pnas.1501713112>

Russell, T., Madsen, T., Thomas, F., Raven, N., Hamede, R., & Ujvari, B. (2018). Oncogenesis as a selective force: adaptive evolution in the face of a transmissible cancer. *BioEssays*, 40(3), 1–9.

Sabio, E., & Chan, T. A. (2019). The good, the bad, and the ugly: hyperprogression in cancer patients following immune checkpoint therapy. *Genome Medicine*, 11(1), 43.

<https://doi.org/10.1186/s13073-019-0661-7>

Salgia, R., & Kulkarni, P. (2018). The Genetic/Non-genetic Duality of Drug ‘Resistance’ in Cancer. *Trends in Cancer*, 4(2), 110–118. <https://doi.org/10.1016/j.trecan.2018.01.001>

Sell, S. (1993). Cellular origin of cancer: Dedifferentiation or stem cell maturation arrest? *Environmental Health Perspectives*, 101(SUPPL. 5), 15–26. <https://doi.org/10.2307/3431838>

Shaffer, S. M., Dunagin, M. C., Torborg, S. R., Torre, E. A., Emert, B., Krepler, C., ... Raj, A. (2017). Rare cell variability and drug-induced reprogramming as a mode of cancer drug resistance. *Nature*, 546(7658), 431–435. <https://doi.org/10.1038/nature22794>

Siegel, R. L., Miller, K. D., & Jemal, A. (2018). Cancer statistics, 2018. *CA: A Cancer Journal for Clinicians*, 68(1), 7–30. <https://doi.org/10.3322/caac.21442>

Somarelli, J. A., Boddy, A. M., Gardner, H. L., Dewitt, S. B., Tuohy, J., Megquier, K., ... Eward, W. C. (2020). Improving Cancer Drug Discovery by Studying Cancer across the Tree of Life. *Molecular Biology and Evolution*, 37(1), 11–17. <https://doi.org/10.1093/molbev/msz254>

Spencer, S. L., Gaudet, S., Albeck, J. G., Burke, J. M., & Sorger, P. K. (2009). Non-genetic origins of cell-to-cell variability in TRAIL-induced apoptosis. *Nature*, 459(7245), 428–432. <https://doi.org/10.1038/nature08012>. Non-genetic

Staňková, K. (2019). Resistance games. *Nature Ecology and Evolution*, 3(3), 336–337. <https://doi.org/10.1038/s41559-018-0785-y>

Strobl, M. A. R., Krause, A. L., Damaghi, M., Gillies, R., Anderson, A. R. A., & Maini, P. K. (2020). Mix and Match: Phenotypic Coexistence as a Key Facilitator of Cancer Invasion. *Bulletin of Mathematical Biology*, 82(1), 1–26. <https://doi.org/10.1007/s11538-019-00675-0>

- Sun, X. X., & Yu, Q. (2015). Intra-tumor heterogeneity of cancer cells and its implications for cancer treatment. *Acta Pharmacologica Sinica*, 36(10), 1219–1227.
<https://doi.org/10.1038/aps.2015.92>
- Sutherland, W. J., Freckleton, R. P., Godfray, H. C. J., Beissinger, S. R., Benton, T., Cameron, D. D., ... Wiegand, T. (2013). Identification of 100 fundamental ecological questions. *Journal of Ecology*, 101(1), 58–67.
- Taddei, M. L., Giannoni, E., Comito, G., & Chiarugi, P. (2013). Microenvironment and tumor cell plasticity: An easy way out. *Cancer Letters*, 341(1), 80–96.
<https://doi.org/10.1016/j.canlet.2013.01.042>
- Tan, B. T., Park, C. Y., Ailles, L. E., & Weissman, I. L. (2006). The cancer stem cell hypothesis: A work in progress. *Laboratory Investigation*, 86(12), 1203–1207.
<https://doi.org/10.1038/labinvest.3700488>
- Thomas, F., Donnadieu, E., Charriere, G. M., Jacqueline, C., Tasiemski, A., Pujol, P., ... Ujvari, B. (2018). Is adaptive therapy natural? *PLoS Biology*, 16(10), 1–12.
<https://doi.org/10.1371/journal.pbio.2007066>
- Thomas, F., Giraudeau, M., Gouzerh, F., Boutry, J., Renaud, F., Pujol, P., ... Ujvari, B. (2019). The evolution of resistance and tolerance as cancer defences. *Parasitology*, 147(3), 255–262.
- Thomas, F., Giraudeau, M., Renaud, F., Ujvari, B., Roche, B., Pujol, P., ... Alvergne, A. (2019). Can postfertile life stages evolve as an anticancer mechanism? *PLoS Biology*, 17(12), 1–19.
<https://doi.org/10.1371/journal.pbio.3000565>
- Thomas, F., Jacqueline, C., Tissot, T., Henard, M., Blanchet, S., Loot, G., ... Ujvari, B. (2017). The importance of cancer cells for animal evolutionary ecology. *Nature Ecology and Evolution*, 1(11), 1592–1595.
- Tissot, T., Massol, F., Ujvari, B., Alix-Panabieres, C., Loeuille, N., & Thomas, F. (2019). Metastasis and the evolution of dispersal. *Proceedings of the Royal Society B: Biological Sciences*, 286(1916), 20192186. <https://doi.org/10.1098/rspb.2019.2186>
- Ujvari, B., Roche, B., & Thomas, F. (2017). *Ecology and Evolution of Cancer*. Academic Press, San Diego, California.

Ujvari, Beata, Gatenby, R. A., & Thomas, F. (2016a). The evolutionary ecology of transmissible cancers. *Infection, Genetics and Evolution*, 39, 293–303.

Ujvari, Beata, Gatenby, R. A., & Thomas, F. (2016b). Transmissible cancers, are they more common than thought? *Evolutionary Applications*, 9(5), 633–634.

Visvader, J. E., & Lindeman, G. J. (2008). Cancer stem cells in solid tumours: accumulating evidence and unresolved questions. *Nature Reviews Cancer*, 8(10), 755–768.

von Loga, K., Woolston, A., Punta, M., Barber, L. J., Griffiths, B., Semiannikova, M., ... Gerlinger, M. (2020). Extreme intratumour heterogeneity and driver evolution in mismatch repair deficient gastro-oesophageal cancer. *Nature Communications*, 11(1), 1–14.
<https://doi.org/10.1038/s41467-019-13915-7>

Wicha, M. S., Liu, S., & Dontu, G. (2006). Cancer stem cells: An old idea - A paradigm shift. *Cancer Research*, 66(4), 1883–1890. <https://doi.org/10.1158/0008-5472.CAN-05-3153>

Woolston, A., Khan, K., Spain, G., Barber, L. J., Griffiths, B., Gonzalez-Exposito, R., ... Gerlinger, M. (2019). Genomic and Transcriptomic Determinants of Therapy Resistance and Immune Landscape Evolution during Anti-EGFR Treatment in Colorectal Cancer. *Cancer Cell*, 36(1), 35-50.e9. <https://doi.org/10.1016/j.ccell.2019.05.013>










Yates, L. R., & Campbell, P. J. (2012). Evolution of the cancer genome. *Nature Reviews Genetics*, 13(11), 795–806. <https://doi.org/10.1038/nrg3317>. Evolution

Zaretsky, J. M., Garcia-Diaz, A., Shin, D. S., Escuin-Ordinas, H., Hugo, W., Hu-Lieskovan, S., ... Ribas, A. (2016). Mutations associated with acquired resistance to PD-1 blockade in melanoma. *New England Journal of Medicine*, 375(9), 819–829.
<https://doi.org/10.1056/NEJMoa1604958>

Zhang, J., Cunningham, J. J., Brown, J. S., & Gatenby, R. A. (2017). Integrating evolutionary dynamics into treatment of metastatic castrate-resistant prostate cancer. *Nature Communications*, 8(1), 1–9. <https://doi.org/10.1038/s41467-017-01968-5>

zur Hausen, H. (2008). *Infections causing human cancer*. Heidelberg, Germany: Wiley-VCH.

Figure 1: The nine overarching eco-evolutionary questions based on key ecological and evolutionary concepts to answer in the years to come to obtain new insights on cancer

| KEY CONCEPTS | OVERARCHING ECO-EVOLUTIONARY QUESTIONS | |
|--|--|--|
| CLONAL EVOLUTION |  | How do we use eco-evolutionary concepts to understand the initiation of cancers? |
| COOPERATION THEORY |  | How eco-evolutionary principles can be used to understand metastasis? |
| EVOLUTION OF MULTICELLULARITY |  | How can we identify selective pressures in the tumoral microenvironment? |
| DISPERSAL THEORY |  | What is the contribution of the holobiont to cancer initiation and progression? |
| EVOLUTION OF CANCER SUPPRESSION MECHANISMS |  | How does the immune system contribute to oncogenic processes? |
| |  | How do we use evolutionary principles to design treatments against cancer? |
| EVOLUTION OF DRUG RESISTANCE |  | Which mathematical models do we need to develop to understand cancer? |
| ADAPTIVE THERAPY |  | How cancer shaped the ecology and evolution of species? |
| SPECIES EVOLUTION |  | What can cancer in wildlife teach us? |